




— industrial kitchen equipment —



CATALOGUE 2023 / 1



# ABOUT US

---

AGL provides and exports high-performance, user-friendly, long-lasting, carefully designed industrial kitchen equipment. We produce solutions for your restaurants, cafes and bars with our long knowledge and sector experience by listening and understanding you.

Alongside our comprehensive catalogue, we lead the industry with services that make our customers' daily lives efficient.

Design | Technology | Production | Project

PIZZA OVENS  
BANQUET TROLLEY  
BAIN MARIE  
BBQ  
REFRIGERATORS  
CREPE  
WAFFLE

NEUTRAL UNITS  
BOTTLE COOLERS  
COOKING EQUIPMENT





## COOKING EQUIPMENT

---

600 SERIES	Electric Deep Fryer	8
	Gas Deep Fryer	9
	Electric Cooker	10
	Gas Cooker	11
	Electric Plate Grill	12
	Electric Plate Grill - Chrome	13
	Gas Plate Grill	14
	Gas Plate Grill - Chrome	15
	Pasta Cooker	16
	Chip Scuttle	17
	Sauce Bain Marie	18
	Lavastone Grill	19
	Gas Range	20
	Neutral Bench	21
	Base Cupboard	22

---

700 SERIES	Electric Deep Fryer	23
	Gas Deep Fryer	24
	Electric Cooker	25
	Gas Cooker	26
	Electric Plate Grill	27
	Electric Plate Grill - Chrome	28
	Gas Plate Grill	29
	Gas Plate Grill - Chrome	30
	Electric Pasta Cooker	31
	Gas Pasta Cooker	32
	Chip Scuttle	33
	Sauce Bain Marie	34
	Electric Pipe Grill	35
	Gas Cast Iron Grill	36
	Lavastone Grill	37
	Wok Stove	38
	Electric Tilting Bratt Pan	39



## COOKING EQUIPMENT

---

700 SERIES	Gas Tilting Bratt Pan	40
	Electric Boiling Pan - Indirect	41
	Gas Boiling Pan - Indirect	42
	Electric Range	43
	Gas Range	44
	Electric Cooker with Square Hot Plate	45
	Solid Top Electric Range	46
	Solid Top Gas Range	47
	Neutral Bench	48
	Base Cupboard	49

---

900 SERIES	Electric Deep Fryer	50
	Gas Deep Fryer	51
	Electric Cooker	52
	Gas Cooker	53
	Electric Plate Grill	54
	Electric Plate Grill - Chrome	55
	Gas Plate Grill	56
	Gas Plate Grill - Chrome	57
	Electric Pasta Cooker	58
	Chip Scuttle	59
	Sauce Bain Marie	60
	Gas Cast Iron Grill	61
	Lavastone Grill	62
	Electric Tilting Bratt Pan	63
	Gas Tilting Bratt Pan	64
	Electric Boiling Pan - Indirect	65
	Gas Boiling Pan - Indirect	66
	Electric Range	67
	Gas Range	68
	Solid Top Electric Range	69
	Solid Top Gas Range	70
	Neutral Bench	71

---



## SALAMANDER

	Lift Salamander	73
--	-----------------	----

● CONTACT GRILL	
	<hr/>
	S Series Contact Grill 75
	E Series Contact Grill 76
● WAFFLE and CREPE	
	<hr/>
	Classic Waffle Iron 78
	Flower Model Waffle Iron 79
	Bar Model Flower Iron 80
	Crepe Maker 81
● PIZZA OVEN	
	<hr/>
	Mini Pizza Ovens 83
	25 Series Pizza Ovens 84
	30 Series Pizza Ovens 85
	34 Series Pizza Ovens 86
	Pizza Oven Stands 87
● CONVEYOR PIZZA OVEN	
	<hr/>
	456 Series Conveyor Pizza Oven 89
	610 Series Conveyor Pizza Oven 90
	810 Series Conveyor Pizza Oven 91
● HOODS	
	<hr/>
	Central Type Hoods 93
	Wall Type Hoods 95
● STAINLESS STEEL FURNITURES	
	<hr/>
	Stainless Steel Furnitures 99
● DONER GRILLS	
	<hr/>
	Electric Doner Grills 119
	Gas Doner Grills 120
● BOTTLE COOLER	
	<hr/>
	Single Door Bottle Cooler 122
	Double Door Bottle Cooler 125
	Triple Door Bottle Cooler 127

---

## COOKING EQUIPMENT

---



### Electric Deep Fryer

Code	Dimensions	Capacity	Weight	Energy	Total Power	Price
FR 6340-E	40 x 63 x 30 cm	8 lt	18 kg	400 V	9 kW	
FR 6360-E	60 x 63 x 30 cm	8 + 8 lt	25 kg	400 V	18 kW	

- Stainless steel body
- With drainage pipe
- Monoblock bowl
- Safety thermostat
- 100° C - 180° C adjustable thermostat
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench





### Gas Deep Fryer

Code	Dimensions	Capacity	Weight	N. Gas Expenditure	Pressure	Total Power	Price
FR 6340-G	40 x 63 x 30 cm	8 lt	21 kg	0,73 m <sup>3</sup>	20 mbar	7 kW	
FR 6360-G	60 x 63 x 30 cm	8 + 8 lt	34 kg	1,46 m <sup>3</sup>	20 mbar	14 kW	


- Stainless steel body
- Safety gas thermostat 100°C-180°C
- Piezoelectric ignition and pilot flame
- Available for LPG and Natural Gas
- Monoblock bowl
- With drainage pipe
- Adjustable legs
- Long lasting
- Using over bench and with cupboard



**Electric Cooker**

Code	Dimensions	Description	Weight	Energy	Total Power	Price
C 6340-E	40 x 63 x 30 cm	2 hot plates	14 kg	230 V	4 kW	
C 6360-E	60 x 63 x 30 cm	4 hot plates	28 kg	400 V	7,5 kW	

- Stainless steel body
- 20 cm diameter heaters
- Adjustable control system
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench





C 6340-G



C 6360-G

### Gas Cooker

Code	Dimensions	Description	N. Gas Expenditure	Pressure	Total Power	Price
C 6340-G	40 x 63 x 30 cm	2 burners	1,04 m <sup>3</sup>	20 mbar	11 kW	
C 6360-G	60 x 63 x 30 cm	4 burners	2,08 m <sup>3</sup>	20 mbar	22 kW	

- Stainless steel body
- Valves able to control max. and min.
- Heavy duty top cast iron
- Available LPG or Natural Gas
- Adjustable legs
- Easy to clean
- Using over bench



GP 6380-E

## Electric Plate Grill

				Smooth	Smooth+Grooved	Grooved
Code	Dimensions	Energy	Total Power	Price	Price	Price
GP 6340-E	40 x 63 x 30 cm	400 V	4,5 kW			
GP 6360-E	60 x 63 x 30 cm	400 V	9 kW			
GP 6380-E	80 x 63 x 30 cm	400 V	9 kW			

- Stainless steel body
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Thermostat adjustment from 50-300°C
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean
- Using over bench

ELECTRIC PLATE GRILL - CHROME

**600 SERIES**



**Electric Plate Grill - CHROME**

Smooth      Smooth+Grooved      Grooved

Code	Dimensions	Energy	Total Power	Price	Price	Price
GP-C 6340-E	40 x 63 x 30 cm	400 V	4,5 kW			
GP-C 6360-E	60 x 63 x 30 cm	400 V	9 kW			
GP-C 6380-E	80 x 63 x 30 cm	400 V	9 kW			

- Stainless steel body
- Chrome cooking surface
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Cooking zone is controlled by 2 different thermostat separately
- Thermostat adjustment from 50-300°C
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean
- Using over bench



GP 6380-G

**Gas Plate Grill**

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Smooth	Smooth + Grooved	Grooved
					Price	Price	Price
GP 6340-G	40 x 63 x 30 cm	0,52 m <sup>3</sup>	20 mbar	5 kW			
GP 6360-G	60 x 63 x 30 cm	1,04 m <sup>3</sup>	20 mbar	10 kW			
GP 6380-G	80 x 63 x 30 cm	1,04 m <sup>3</sup>	20 mbar	10 kW			

- Stainless steel body
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Cooking zone is controlled by 2 different valves separately
- Piezoelectric ignition, pilot flame
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean
- Using over bench



### Gas Plate Grill - CHROME

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Smooth	+ Grooved	Grooved
					Price	Price	Price
GP-C 6340-G	40 x 63 x 30 cm	0,52 m <sup>3</sup>	20 mbar	5 kW			
GP-C 6360-G	60 x 63 x 30 cm	1,04 m <sup>3</sup>	20 mbar	10 kW			
GP-C 6380-G	80 x 63 x 30 cm	1,04 m <sup>3</sup>	20 mbar	10 kW			

- Stainless steel body
- Chrome cooking surface
- Available LPG or Natural Gas
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Cooking zone is controlled by 2 different valves separately
- Piezoelectric ignition, pilot flame
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean
- Using over bench



PC 6340-E

## Electric Pasta Cooker

Code	Dimensions	Capacity	Weight	Energy	Total Power	Price
PC 6340-E	40 x 63 x 30 cm	8 lt	19 kg	400 V	6 kW	

- Stainless steel body
- With drainage pipe
- Monoblock bowl
- Safety thermostat
- 30-120°C Adjustable thermostat
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench





CS 6340-E


### Chip Scuttle

Code	Dimensions	Weight	Energy	Total Power	Price
CS 6340-E	40 x 63 x 30 cm	16 kg	230 V	0,75 kW	

- Stainless steel body
- Adjustable legs
- Long lasting
- Using over bench



SBM 6340-E



### Sauce Bain-Marie

Code	Dimensions	Capacity	Weight	Energy	Total Power	Price
SBM 6340-E	40 x 63 x 30 cm	GN1/2-150 - GN 1/3-150	17 kg	230 V	2,5 kW	

- Stainless steel body
- Reservoir available gastronorm pans
- Temperature adjustment from 30°C to 120°C
- Monoblock bowl
- Drainage pipe
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench



LG 6380-G

### Gas Lavastone Grill

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Price
LG 6340-G	40 x 63 x 30 cm	0,52 m <sup>3</sup>	20 mbar	5 kW	
LG 6380-G	80 x 63 x 30 cm	1,04 m <sup>3</sup>	20 mbar	10 kW	

- Stainless steel body
- Available LPG or Natural Gas
- Safety gas valve with thermocouple
- Pilot flame
- Fat collecting drawer
- Adjustable legs
- Easy to clean
- Using over bench



R 6360-G

### Gas Range

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Price
R 6360-G	60 x 63 x 85 cm	2,54 m <sup>3</sup>	20 mbar	24 kW	

- Stainless steel body
- Safety gas valve with thermocouple
- Fire inspect system
- Heavy duty top cast iron
- Available LPG or Natural Gas
- Piezoelectric ignition and pilot flame
- Oven thermostat adjustment between 100°C to 300°C
- Oven size is 30x45
- Isolated oven
- Removable wire tray size GN 1/1
- Adjustable legs
- Easy to clean



### Neutral Bench

Code	Dimensions	Weight	Energy	Total Power	Price
NB 6340	40 x 63 x 30 cm	10 kg	-	-	
NB 6360	60 x 63 x 30 cm	14 kg	-	-	
NB 6380	80 x 63 x 30 cm	20 kg	-	-	

- Stainless steel body
- Long lasting



**Base Cupboard**

Code	Dimensions	Weight	Energy	Total Power	Price
BC 6340	40 x 63 x 55 cm	15 kg	-	-	
BC 6360	60 x 63 x 55 cm	19 kg	-	-	
BC 6380	80 x 63 x 55 cm	24 kg	-	-	

- Stainless steel body
- Long lasting
- Adjustable legs



### Electric Deep Fryer

Code	Dimensions	Capacity	Weight	Energy	Total Power	Price
FR 7040-E	40 x 70 x 30 cm	12 lt	21 kg	400 V	9 kW	
FR 7080-E	80 x 70 x 30 cm	12 + 12 lt	39 kg	400 V	18 kW	

- Stainless steel body
- With drainage pipe
- Monoblock bowl
- Safety thermostat
- 100°C - 180°C adjustable thermostat
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench or with cupboard



**Gas Deep Fryer**

Code	Dimensions	Capacity	Weight	N. Gas Expenditure	Pressure	Total Power	Price
FR 7040-G	40 x 70 x 85 cm	15 lt	42 kg	0,74 m <sup>3</sup>	20 mbar	7 kW	
FR 7080-G	80 x 70 x 85 cm	15 + 15 lt	68 kg	1,48 m <sup>3</sup>	20 mbar	14 kW	

- Stainless steel body
- Safety gas thermostat 100°C-180°C
- Piezoelectric ignition and pilot flame
- Available for LPG and Natural Gas
- Monoblock bowl
- With drainage pipe
- Adjustable legs
- Long lasting





### Electric Cooker

Code	Dimensions	Description	Weight	Energy	Total Power	Price
C 7040-E	40 x 70 x 30 cm	2 hot plates	15 kg	400 V	4,6 kW	
C 7080-E	80 x 70 x 30 cm	4 hot plates	32 kg	400 V	9,2 kW	
C 7012-E	120 x 70 x 30 cm	6 hot plates	60 kg	400 V	13,8 kW	

- Stainless steel body
- 20-23 cm diameter of heaters
- Adjustable control system
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench or with cupboard



## Gas Cooker

Code	Dimensions	Description	N. Gas Expenditure	Pressure	Total Power	Price
C 7040-G	40 x 70 x 30 cm	2 burners	1,05 m <sup>3</sup>	20 mbar	10 kW	
C 7080-G	80 x 70 x 30 cm	4 burners	2,11 m <sup>3</sup>	20 mbar	20 kW	
C 7012-G	120 x 70 x 30 cm	6 burners	3,17 m <sup>3</sup>	20 mbar	30 kW	

- Stainless steel body
- Valves able to control max. and min.
- Heavy duty top cast iron
- Available LPG or Natural Gas
- Adjustable legs
- Easy to clean
- Using over bench



## Electric Plate Grill

Smooth      Smooth+Grooved      Grooved

Code	Dimensions	Energy	Total Power	Price	Price	Price
GP 7040-E	40 x 70 x 30 cm	400 V	4,5 kW			
GP 7080-E	80 x 70 x 30 cm	400 V	9 kW			

- Stainless steel body
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Thermostat adjustment from 50-300°C
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean
- Using over bench



**Electric Plate Grill - CHROME**

Smooth      Smooth+Grooved      Grooved

Code	Dimensions	Energy	Total Power	Price	Price	Price
GP-C 7040-E	40 x 70 x 30 cm	400 V	4,5 kW			
GP-C 7080-E	80 x 70 x 30 cm	400 V	9 kW			

- Stainless steel body
- Chrome cooking surface
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Cooking zone is controlled by 2 different thermostat separately
- Thermostat adjustment from 50-300°C
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean
- Using over bench



### Gas Plate Grill

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Smooth	Smooth + Grooved	Grooved
					Price	Price	Price
GP 7040-G	40 x 70 x 30 cm	0,73 m <sup>3</sup>	20 mbar	7 kW			
GP 7080-G	80 x 70 x 30 cm	1,46 m <sup>3</sup>	20 mbar	14 kW			

- Stainless steel body
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Cooking zone is controlled by 2 different valves separately
- Piezoelectric ignition, pilot flame
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean
- Using over bench



Gas Plate Grill - CHROME

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Smooth	+	Grooved
					Price	Grooved	Price
GP-C 7040-G	40 x 70 x 30 cm	0,73 m <sup>3</sup>	20 mbar	7 kW			
GP-C 7080-G	80 x 70 x 30 cm	1,46 m <sup>3</sup>	20 mbar	14 kW			

- Stainless steel body
- Chrome cooking surface
- Available LPG or Natural Gas
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Cooking zone is controlled by 2 different valves separately
- Piezoelectric ignition, pilot flame
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean
- Using over bench



### Electric Pasta Cooker

Code	Dimensions	Capacity	Weight	Energy	Total Power	Price
PC 7040-E	40 x 70 x 30 cm	12 lt	22 kg	400 V	6 kW	

- Stainless steel body
- With drainage pipe
- Monoblock bowl
- Safety thermostat
- 30-120°C Adjustable thermostat
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench



## Gas Pasta Cooker

Code	Dimensions	Capacity	N. Gas Expenditure	Pressure	Total Power	Price
PC 7040-G	40 x 70 x 85 cm	26 lt	0,89 m <sup>3</sup>	20 mbar	8,5 kW	

- Stainless steel body
- With drainage pipe
- Monoblock bowl
- Safety thermostat
- 30-120°C Adjustable thermostat
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench





### Chip Scuttle

Code	Dimensions	Weight	Energy	Total Power	Price
CS 7040-E	40 x 70 x 30 cm	17 kg	230 V	0,75 kW	

- Stainless steel body
- Adjustable legs
- Long lasting
- Using over bench



**Sauce Bain-Marie**

Code	Dimensions	Capacity	Weight	Energy	Total Power	Price
SBM 7040-E	40 x 70 x 30 cm	GN1/2-150 - GN 1/3-150	16 kg	230 V	2,5 kW	
SBM 7080-E	80 x 70 x 30 cm	GN1/2-150 - GN 1/3-150	31 kg	230 V	3,5 kW	

- Stainless steel body
- Reservoir available gastronom pans
- Temperature adjustment from 30°C to 120°C
- Monoblock bowl
- Drainage pipe
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench



### Electric Pipe Grill

Code	Dimensions	Weight	Energy	Total Power	Price
PG 7050-E	50 x 70 x 30 cm	30 kg	230 V	4 kW	
PG 7080-E	80 x 70 x 30 cm	47 kg	400 V	6,5 kW	
PG 7012-E	120 x 70 x 30 cm	96 kg	400 V	9,5 kW	

- Stainless steel body
- Special heating system
- Moving heat system provides easy cleaning
- Steam function
- Temperature adjust with thermostatic special system
- Drainage pipe
- Adjustable legs
- Available use over bench or with cupboard



### Gas Cast Iron Grill

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Price
CIG 7540-G	40 x 75 x 35 cm	0,84 m <sup>3</sup>	20 mbar	8 kW	
CIG 7580-G	80 x 75 x 35 cm	1,69 m <sup>3</sup>	20 mbar	16 kW	
CIG 7512-G	120 x 75 x 35 cm	2,54 m <sup>3</sup>	20 mbar	24 kW	

- Stainless steel body
- Safety gas valve with thermocouple
- Pilot flame
- Available LPG or Natural Gas
- Water drawers
- Cast iron surface
- Fat collecting drawer
- Adjustable legs
- Easy to clean
- Available use over bench or with cupboard



### Gas Lavastone Grill

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Price
LG 7040-G	40 x 70 x 30 cm	0,73 m <sup>3</sup>	20 mbar	7 kW	
LG 7080-G	80 x 70 x 30 cm	1,46 m <sup>3</sup>	20 mbar	14 kW	

- Stainless steel body
- Available LPG or Natural Gas
- Safety gas valve with thermocouple
- Pilot flame
- Fat collecting drawer
- Adjustable legs
- Easy to clean
- Using over bench



**WOK Stove**

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Price
WS 7040-G	40 x 70 x 30 cm	1,87 m <sup>3</sup>	20 mbar	18 kW	
WS 7080-G	80 x 70 x 30 cm	3,74 m <sup>3</sup>	20 mbar	36 kW	
WS 7012-G	120 x 70 x 30 cm	5,61 m <sup>3</sup>	20 mbar	54 kW	

- Stainless steel body
- High power cast iron
- Fire inspection system
- Pilot flame
- Available LPG or Natural Gas
- Easy to clean
- Available use over bench or cupboard



**Electric Tilting Bratt Pan**

Code	Dimensions	Capacity	Energy	Total Power	Price
TBP 7080-E	80 x 70 x 85 cm	50 lt	400 V	12 kW	

- Body, panelling and pan made of stainless steel
- The tilting mechanism is manual operated
- Safety switches activates, when the tilting starts
- Safety thermostat
- Water fill pipe controlled from front panel
- Thermostat temperature control
- Filling with faucet on top of device easily
- Easy to wash and clean



**Gas Tilting Bratt Pan**

Code	Dimensions	Capacity	N. Gas Expenditure	Pressure	Total Power	Price
TBP 7080-G	80 x 70 x 85 cm	50 lt	2,11 m <sup>3</sup>	20 mbar	18 kW	

- Body, panelling and pan made of stainless steel
- The tilting mechanism is manuel operated
- Safety switches activates, when the tilting starts
- Stainless steel burner with ignition, pilot thermocouple and thermostat
- If the flame goes out, gas are cutted off
- Operable with LPG and Natural Gas
- Safety thermostat
- Water fill pipe controlled from front panel
- Thermostat temperature control
- Filling with faucet on top of device easily
- Easy to wash and clean





**Electric Boiling Pan - INDIRECT**

Code	Dimensions	Capacity	Energy	Total Power	Price
BP 7080-E	80 x 70 x 85 cm	80 lt	400 V	18 kW	

- Stainless steel body
- Counterweighted folding lid
- Which contains ignition and stop button together with pilot thermocouple
- Cold and hot water filling cock
- Drainage cock



**Gas Boiling Pan - INDIRECT**

Code	Dimensions	Capacity	N. Gas Expenditure	Pressure	Total Power	Price
BP 7080-G	80 x 70 x 85 cm	80 lt	2,11 m <sup>3</sup>	20 mbar	20 kW	

- Stainless steel body
- Counterweighted folding lid
- Burner with complete magnet security valve
- Which contains ignition and stop button together with pilot thermocouple
- Cold and hot water filling cock
- Drainage cock



**Electric Range**

Code	Dimensions	Weight	Energy	Total Power	Price
R 7080-E	80 x 70 x 85 cm	118 kg	400 V	15,4 kW	
R 7012-E	120 x 70 x 85 cm	140 kg	400 V	20,6 kW	

- Stainless steel body
- 23 cm diameter heaters
- Adjustable control system
- Oven size is GN 1/1
- Oven thermostat adjustment between 50°C to 300°C
- Oven heaters work separately or together
- Isolated oven
- Removable wire tray size GN 1/1
- Adjustable legs



### Gas Range

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Price
R 7080-G	80 x 70 x 85 cm	2,042 m <sup>3</sup>	20 mbar	25,9 kW	
R 7012-G	120 x 70 x 85 cm	2,831 m <sup>3</sup>	20 mbar	35,9 kW	

- Stainless steel body
- Safety gas valve with thermocouple
- Fire inspect system
- Heavy duty top cast iron
- Available LPG or Natural Gas
- Piezoelectric ignition and pilot flame
- Oven thermostat adjustment between 100°C to 300°C
- Oven size is GN 2/1
- Isolated oven
- Removable wire tray size GN 2/1
- Adjustable legs
- Easy to clean



Electric Cooker with Square Hot Plate

Code	Dimensions	Description	Weight	Energy	Total Power	Price
C-S 7040-E	40 x 70 x 30 cm	2 hot plates	15 kg	400 V	5,2 kW	
C-S 7080-E	80 x 70 x 30 cm	4 hot plates	32 kg	400 V	10,4 kW	
C-S 7012-E	120 x 70 x 30 cm	6 hot plates	60 kg	400 V	15,6 kW	

- Stainless steel body
- 22x22 cm diameter of heaters
- Adjustable control system
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench or with cupboard



**Solid Top Electric Range**

Code	Dimensions	Description	Weight	Energy	Total Power	Price
R-ST 7080-E	80 x 70 x 85 cm	Solid Top with oven	118 kg	400 V	17 kW	
C-ST 7080-E	80 x 70 x 85 cm	Solid Top	107 kg	400 V	12 kW	

- Stainless steel body
- Type of cooking plate 15mm ST52
- Cooking surface able to control by 4 independent zones
- Oven size is GN 1/1
- Oven thermostat adjustment between 50°C to 300°C
- Oven heaters work separately or together
- Isolated oven
- Removable wire tray size GN 1/1
- Adjustable legs



### Solid Top Gas Range

Code	Dimensions	Description	N. Gas Expenditure	Pressure	Total Power	Price
R-ST 7080-G	80 x 70 x 85 cm	Solid Top with oven	1,09 m <sup>3</sup>	20 mbar	10,5 kW	
C-ST 7080-G	80 x 70 x 85 cm	Solid Top	0,57 m <sup>3</sup>	20 mbar	5,5 kW	

- Stainless steel body
- 3 pieces heavy duty cast iron
- Safety gas valve with thermocouple
- Fire inspect system
- Heavy duty top cast iron
- Available LPG or Natural Gas
- Piezoelectric ignition and pilot flame
- Oven thermostat adjustment between 100°C to 300°C
- Oven size is GN 2/1
- Isolated oven
- Removable wire tray size GN 2/1
- Adjustable legs



### Neutral Bench

Code	Dimensions	Weight	Energy	Total Power	Price
NB 7040	40 x 70 x 30 cm	10 kg	-	-	
NB 7080	80 x 70 x 30 cm	20 kg	-	-	
NB 7012	120 x 70 x 30 cm	30 kg	-	-	

- Stainless steel body
- Long lasting





**Base Cupboard**

Code	Dimensions	Weight	Energy	Total Power	Price
BC 7040	40 x 70 x 55 cm	16 kg	-	-	
BC 7080	80 x 70 x 55 cm	22 kg	-	-	
BC 7012	120 x 70 x 55 cm	30 kg	-	-	

- Stainless steel body
- Long lasting
- Adjustable legs



**Electric Deep Fryer**

Code	Dimensions	Capacity	Weight	Energy	Total Power	Price
FR 9340-E	40 x 93 x 85 cm	24 lt	50 kg	400 V	16,5 kW	
FR 9380-E	80 x 93 x 85 cm	24 + 24 lt	93 kg	400 V	33 kW	

- Stainless steel body
- With drainage pipe
- Monoblock bowl
- Safety thermostat
- 100°C - 180°C adjustable thermostat
- Easy to clean
- Adjustable legs
- Long lasting



Gas Deep Fryer

Code	Dimensions	Capacity	N. Gas Expenditure	Pressure	Total Power	Price
FR 9340-G	40 x 93 x 85 cm	24 lt	1,27 m <sup>3</sup>	20 mbar	12 kW	
FR 9380-G	80 x 93 x 85 cm	24 + 24 lt	2,54 m <sup>3</sup>	20 mbar	24 kW	

- Stainless steel body
- Safety gas thermostat 100°C-180°C
- Piezoelectric ignition and pilot flame
- Available for LPG and Natural Gas
- Monoblock bowl
- With drainage pipe
- Adjustable legs
- Long lasting



## Electric Cooker

Code	Dimensions	Description	Weight	Energy	Total Power	Price
C 9340-E	40 x 93 x 85 cm	2 hot plates	65 kg	400 V	8 kW	
C 9380-E	80 x 93 x 85 cm	4 hot plates	97 kg	400 V	16 kW	
C 9312-E	120 x 93 x 85 cm	6 hot plates	135 kg	400 V	24 kW	

- Stainless steel body
- 20-23 cm diameter of heaters
- Adjustable control system
- Easy to clean
- Adjustable legs
- Long lasting



### Gas Cooker

Code	Dimensions	Description	N. Gas Expenditure	Pressure	Total Power	Price
C 9340-G	40 x 93 x 85 cm	2 burners	1,69 m <sup>3</sup>	20 mbar	16 kW	
C 9380-G	80 x 93 x 85 cm	4 burners	3,38 m <sup>3</sup>	20 mbar	32 kW	
C 9312-G	120 x 93 x 85 cm	6 burners	5,07 m <sup>3</sup>	20 mbar	48 kW	

- Stainless steel body
- Valves able to control max. and min.
- Heavy duty top cast iron
- Available LPG or Natural Gas
- Adjustable legs
- Easy to clean



**Electric Plate Grill**

Smooth      Smooth+Grooved      Grooved

Code	Dimensions	Energy	Total Power	Price	Price	Price
GP 9340-E	40 x 93 x 85 cm	400 V	7 kW			
GP 9380-E	80 x 93 x 85 cm	400 V	14 kW			

- Stainless steel body
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Thermostat adjustment from 50-300°C
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean



**Electric Plate Grill - CHROME**

Smooth      Smooth+Grooved      Grooved

Code	Dimensions	Energy	Total Power	Price	Price	Price
GP-C 9340-E	40 x 93 x 85 cm	400 V	7 kW			
GP-C 9380-E	80 x 93 x 85 cm	400 V	14 kW			

- Stainless steel body
- Chrome cooking surface
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Cooking zone is controlled by 2 different thermostat separately
- Thermostat adjustment from 50-300°C
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean



**Gas Plate Grill**

Smooth      Smooth + Grooved      Grooved

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Price	Price	Price
GP 9340-G	40 x 93 x 85 cm	0,93 m <sup>3</sup>	20 mbar	8 kW			
GP 9380-G	80 x 93 x 85 cm	1,87 m <sup>3</sup>	20 mbar	16 kW			

- Stainless steel body
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Cooking zone is controlled by 2 different valves separately
- Piezoelectric ignition, pilot flame
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean





### Gas Plate Grill - CHROME

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Smooth	Smooth + Grooved	Grooved
					Price	Price	Price
GP-C 9340-G	40 x 93 x 85 cm	0,84 m <sup>3</sup>	20 mbar	8 kW			
GP-C 9380-G	80 x 93 x 85 cm	1,69 m <sup>3</sup>	20 mbar	16 kW			

- Stainless steel body
- Chrome cooking surface
- Available LPG or Natural Gas
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Cooking zone is controlled by 2 different valves separately
- Piezoelectric ignition, pilot flame
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean



### Electric Pasta Cooker

Code	Dimensions	Capacity	Weight	Energy	Total Power	Price
PC 9340-E	40 x 93 x 85 cm	24 lt	48 kg	400 V	10 kW	

- Stainless steel body
- With drainage pipe
- Monoblock bowl
- Safety thermostat
- 30-120°C Adjustable thermostat
- Easy to clean
- Adjustable legs
- Long lasting



### Chip Scuttle

Code	Dimensions	Weight	Energy	Total Power	Price
CS 9340-E	40 x 93 x 85 cm	47 kg	230 V	1,5 kW	

- Stainless steel body
- Adjustable legs
- Long lasting



**Sauce Bain-Marie**

Code	Dimensions	Capacity	Weight	Energy	Total Power	Price
SBM 9340-E	40 x 93 x 85 cm	GN1/1-150	35 kg	230 V	1,5 kW	
SBM 9380-E	80 x 93 x 85 cm	2 x GN1/1-150	57 kg	230 V	3 kW	

- Stainless steel body
- Reservoir available gastronom pans
- Temperature adjustment from 30°C to 120°C
- Monoblock bowl
- Drainage pipe
- Easy to clean
- Adjustable legs
- Long lasting



### Gas Cast Iron Grill

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Price
CIG 9340-G	40 x 93 x 85 cm	0,84 m <sup>3</sup>	20 mbar	8 kW	
CIG 9380-G	80 x 93 x 85 cm	1,69 m <sup>3</sup>	20 mbar	16 kW	

- Stainless steel body
- Safety gas valve with thermocouple
- Pilot flame
- Available LPG or Natural Gas
- Water drawers
- Cast iron surface
- Fat collecting drawer
- Adjustable legs
- Easy to clean



**Gas Lavastone Grill**

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Price
LG 9340-G	40 x 93 x 85 cm	0,84 m <sup>3</sup>	20 mbar	8 kW	
LG 9380-G	80 x 93 x 85 cm	1,69 m <sup>3</sup>	20 mbar	16 kW	

- Stainless steel body
- Available LPG or Natural Gas
- Safety gas valve with thermocouple
- Pilot flame
- Fat collecting drawer
- Adjustable legs
- Easy to clean
- Using over bench



### Electric Tilting Bratt Pan

Code	Dimensions	Capacity	Energy	Total Power	Price
TBP 9380-E	80 x 93 x 85 cm	80 lt	400 V	12 kW	
TBP 9312-E	120 x 93 x 85 cm	120 lt	400 V	18 kW	

- Body, panelling and pan made of stainless steel
- The tilting mechanism is manual operated
- Safety switches activates, when the tilting starts
- Safety thermostat
- Water fill pipe controlled from front panel
- Thermostat temperature control
- Filling with faucet on top of device easily
- Easy to wash and clean



## Gas Tilting Bratt Pan

Code	Dimensions	Capacity	N. Gas Expenditure	Pressure	Total Power	Price
TBP 9380-G	80 x 93 x 85 cm	80 lt	2,01 m <sup>3</sup>	20 mbar	19 kW	
TBP 9312-G	120 x 93 x 85 cm	120 lt	2,32 m <sup>3</sup>	20 mbar	22 kW	

- Body, panelling and pan made of stainless steel
- The tilting mechanism is manual operated
- Safety switches activates, when the tilting starts
- Stainless steel burner with ignition, pilot thermocouple and thermostat
- If the flame goes out, gas are cutted off
- Operable with LPG and Natural Gas
- Safety thermostat
- Water fill pipe controlled from front panel
- Thermostat temperature control
- Filling with faucet on top of device easily
- Easy to wash and clean





**Electric Boiling Pan - INDIRECT**

Code	Dimensions	Capacity	Energy	Total Power	Price
BP 9380-E	80 x 93 x 85 cm	100 lt	400 V	18 kW	
BP-L 9380-E	80 x 93 x 85 cm	150 lt	400 V	20 kW	
BP 10090-E	90 x 100 x 95 cm	250 lt	400 V	30 kW	

- Stainless steel body
- Counterweighted folding lid
- Burner with complete magnet security valve
- Which contains ignition and stop button together with pilot thermocouple
- Cold and hot water filling cock
- Drainage cock



**Gas Boiling Pan - INDIRECT**

Code	Dimensions	Capacity	N. Gas Expenditure	Pressure	Total Power	Price
BP 9380-G	80 x 93 x 85 cm	100 lt	2,25 m <sup>3</sup>	20 mbar	21,3 kW	
BP-L 9380-G	80 x 93 x 85 cm	150 lt	2,25 m <sup>3</sup>	20 mbar	21,3 kW	
BP 10090-G	90 x 100 x 95 cm	250 lt	4,50 m <sup>3</sup>	20 mbar	42,6 kW	

- Stainless steel body
- Counterweighted folding lid
- Burner with complete magnet security valve
- Which contains ignition and stop button together with pilot thermocouple
- Cold and hot water filling cock
- Drainage cock



## Electric Range

Code	Dimensions	Weight	Energy	Total Power	Price
R 9380-E	80 x 93 x 85 cm	222 kg	400 V	21 kW	
R 9312-E	120 x 93 x 85 cm	265 kg	400 V	29 kW	

- Stainless steel body
- 23 cm diameter heaters
- Adjustable control system
- Oven size is GN 2/1
- Oven thermostat adjustment between 50°C to 300°C
- Oven heaters work separately or together
- Isolated oven
- Removable wire tray size GN 2/1
- Adjustable legs



### Gas Range

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Price
R 9380-G	80 x 93 x 85 cm	4,44 m <sup>3</sup>	20 mbar	42 kW	
R 9312-G	120 x 93 x 85 cm	6,13 m <sup>3</sup>	20 mbar	58 kW	

- Stainless steel body
- Safety gas valve with thermocouple
- Fire inspect system
- Heavy duty top cast iron
- Available LPG or Natural Gas
- Piezoelectric ignition and pilot flame
- Oven thermostat adjustment between 100°C to 300°C
- Oven size is GN 2/1
- Isolated oven
- Removable wire tray size GN 2/1
- Adjustable legs
- Easy to clean



**Solid Top Electric Range**

Code	Dimensions	Description	Weight	Energy	Total Power	Price
R-ST 9380-E	80 x 93 x 85 cm	Solid Top with oven	222 kg	400 V	17 kW	
C-ST 9380-E	80 x 93 x 85 cm	Solid Top	222 kg	400 V	12 kW	

- Stainless steel body
- Type of cooking plate 15mm ST52
- Cooking surface able to control by 4 independent zones
- Oven size is GN 1/1
- Oven thermostat adjustment between 50°C to 300°C
- Oven heaters work separately or together
- Isolated oven
- Removable wire tray size GN 1/1
- Adjustable legs



### Solid Top Gas Range

Code	Dimensions	Description	N. Gas Expenditure	Pressure	Total Power	Price
R-ST 9380-G	80 x 93 x 85 cm	Solid Top with oven	1,30 m <sup>3</sup>	20 mbar	12,5 kW	
C-ST 9380-G	80 x 93 x 85 cm	Solid Top	0,78 m <sup>3</sup>	20 mbar	7,5 kW	

- Stainless steel body
- 3 pieces heavy duty cast iron
- Safety gas valve with thermocouple
- Fire inspect system
- Heavy duty top cast iron
- Available LPG or Natural Gas
- Piezoelectric ignition and pilot flame
- Oven thermostat adjustment between 100°C to 300°C
- Oven size is GN 2/1
- Isolated oven
- Removable wire tray size GN 2/1
- Adjustable legs



Neutral Bench

Code	Dimensions	Weight	Energy	Total Power	Price
NB 9340	40 x 93 x 85 cm	30 kg	-	-	
NB 9380	80 x 93 x 85 cm	45 kg	-	-	

- Stainless steel body
- Long lasting







### Lift Salamander

Code	Dimensions	Weight	Energy	Total Power	Price
LS 5045-E	45 x 50 x 60 cm	32 kg	230 V	3,5 kW	
LS 5065-E	65 x 50 x 60 cm	45 kg	230 V	3,5 kW	

- Stainless steel body
- Adjustable thermostat
- Easy to clean





CG-E 35

- Body made of stainless steel
- Griddle plates made of cast iron
- Temperature control 50°-300°C
- Collection tray
- On/Off-switch
- Optional: Grooved or smooth grill plates

### Contact Grill

Code	External Dimensions	Cooking Surface	Energy	Total Power	Price
CG-E 25	29 x 44 x 30 cm	25 x 25 cm	230 V	1,75 kW	
CG-E 35	41 x 50 x 30 cm	36 x 27 cm	230 V	2,5 kW	
CG-E 45	51 x 50 x 30 cm	45 x 27 cm	230 V	3 kW	



CG-S 735

- Body made of stainless steel
- Griddle plates made of cast iron
- Temperature control 50°-300°C
- Collection tray
- On/Off-switch
- Optional: Grooved or smooth grill plates

## Contact Grill

Code	External Dimensions	Cooking Surface	Energy	Total Power	Price
CG-S 530	56 x 44 x 30 cm	52 x 24 cm	230 V	3,5 kW	
CG-S 735	82 x 50 x 30 cm	2 x (36 x 27 cm)	230 V	2,5 + 2,5 kW	

---

WAFFLE IRONS  
CREPE MAKERS

---



WF-C 55

- Body made of stainless steel
- Fixed baking plate made of cast iron
- Temperature control 50°-300°C
- Fat drip channel
- On/Off-switch
- Optional: Timer



WF-C 25

### Classic Waffle Iron

Code	External Dimensions	Cooking Surface	Energy	Total Power	Price
WF-C 25	29 x 44 x 32 cm	2 x (10 x 17 cm)	230 V	2,2 kW	
WF-C 55	58 x 44 x 32 cm	4 x (10 x 17 cm)	230 V	2,2 + 2,2 kW	



WF-F 60

- Body made of stainless steel
- Fixed baking plate made of cast iron
- Temperature control 50°-300°C
- Fat drip channel
- On/Off-switch
- Optional: Timer



WF-F 30

Flower Waffle Iron

Code	External Dimensions	Cooking Surface	Energy	Total Power	Price
WF-F 30	30 x 44 x 32 cm	Ø21 x 1,5 cm	230 V	2,2 kW	
WF-F 60	60 x 44 x 32 cm	2 x (Ø21 x 1,5 cm)	230 V	2,2 + 2,2 kW	



WF-B 60

- Body made of stainless steel
- Fixed baking plate made of cast iron
- Temperature control 50°-300°C
- Fat drip channel
- On/Off-switch
- Optional: Timer




WF-B 30


### Bar Waffle Iron

Code	External Dimensions	Cooking Surface	Energy	Total Power	Price
WF-B 30	30 x 44 x 32 cm	3 x (23 x 6 x 2,4 cm)	230 V	2,2 kW	
WF-B 60	60 x 44 x 32 cm	6 x (23 x 6 x 2,4 cm)	230 V	2,2 + 2,2 kW	





CR-S 80



CR-S 40

- Body made of stainless steel
- Teflon-coated back baking plate
- Plate diameter: 40cm
- Temperature control 50°-300°C
- Fat drip channel
- On/Off-switch



CR-R 40

## Crepe Maker

Code	External Dimensions	Cooking Surface	Energy	Total Power	Price
CR-S 40	45 x 52 x 24 cm	Ø 40 cm	230 V	3 kW	
CR-S 80	90 x 52 x 24 cm	Ø 40 + 40 cm	230 V	3 + 3 kW	
CR-R 40	Ø 40 x 18 cm	Ø 40 cm	230 V	3 kW	





PO-D-4040

- Front is made of stainless steel and body is made of stainless steel sheet
- Italian made refractory stone
- EGO brand thermostat
- Mineral rock wool insulation
- Vent chimney
- Interior lighting for each chamber
- Adjustable thermostat between 85°C-450°C
- Silicon and glass fiber cable

### Single Deck

Code	Capacity	External Dimensions	Internal Dimensions	Energy	Total Power	Price
PO-3232	1 (ø32)	53 x 50 x 29 cm	32 x 32 x 10 cm	230 V	2,5 kW	
PO-4040	1 (ø40)	63 x 60 x 29 cm	40 x 40 x 10 cm	230 V	3,5 kW	

### Double Deck

Code	Capacity	External Dimensions	Internal Dimensions	Energy	Total Power	Price
PO-D-3232	1 + 1 (ø32)	53 x 50 x 43 cm	2 x (32 x 32 x 10 cm)	400 V	5 kW	
PO-D-4040	1 + 1 (ø40)	63 x 60 x 43 cm	2 x (40 x 40 x 10 cm)	400 V	5,25 kW	



PO-D-5151

- Front is made of stainless steel and body is made of stainless steel sheet
- Italian made refractory stone
- EGO brand thermostat
- Mineral rock wool insulation
- Vent chimney
- Interior lighting for each chamber
- Adjustable thermostat between 85°C-450°C
- Silicon and glass fiber cable

### Single Deck

Code	Capacity	External Dimensions	Internal Dimensions	Energy	Total Power	Price
PO-5151	4 (ø25)	80 x 74 x 37 cm	51 x 51 x 10 cm	230 V	4 kW	

### Double Deck

Code	Capacity	External Dimensions	Internal Dimensions	Energy	Total Power	Price
PO-D-5151	4 + 4 (ø25)	80 x 74 x 52 cm	2 x (51 x 51 x 10 cm)	400 V	6 kW	



PO-D-9262

- Front is made of stainless steel and body is made of stainless steel sheet
- Italian made refractory stone
- EGO brand thermostat
- Mineral rock wool insulation
- Vent chimney
- Interior lighting for each chamber
- Adjustable thermostat between 85°C-450°C
- Analog temperature display
- Silicon and glass fiber cable

### Single Deck

Code	Capacity	External Dimensions	Internal Dimensions	Energy	Total Power	Price
PO-6262	4 (ø30)	88 x 80 x 43 cm	62 x 62 x 14 cm	400 V	5 kW	
PO-9262	6 (ø30)	118 x 80 x 43 cm	92 x 62 x 14 cm	400 V	6 kW	
PO-6292	6 (ø30)	88 x 110 x 43 cm	62 x 92 x 14 cm	400 V	6 kW	
PO-9292	9 (ø30)	118 x 115 x 43 cm	92 x 92 x 14 cm	400 V	8 kW	

### Double Deck

Code	Capacity	External Dimensions	Internal Dimensions	Energy	Total Power	Price
PO-D-6262	4 + 4 (ø30)	88 x 80 x 76 cm	2 x (62 x 62 x 14 cm)	400 V	10 kW	
PO-D-9262	6 + 6 (ø30)	118 x 80 x 76 cm	2 x (92 x 62 x 14 cm)	400 V	12 kW	
PO-D 6292	6 + 6 (ø30)	88 x 110 x 76 cm	2 x (62 x 92 x 14 cm)	400 V	12 kW	
PO-D-9292	9 + 9 (ø30)	118 x 115 x 76 cm	2 x (92 x 92 x 14 cm)	400 V	16 kW	



PO-D-7070

- Front is made of stainless steel and body is made of stainless steel sheet
- Italian made refractory stone
- EGO brand thermostat
- Mineral rock wool insulation
- Vent chimney
- Interior lighting for each chamber
- Adjustable thermostat between 85°C-450°C
- Analog temperature display
- Silicon and glass fiber cable

### Single Deck

Code	Capacity	External Dimensions	Internal Dimensions	Energy	Total Power	Price
PO-7070	4 (ø34)	97 x 89 x 43 cm	70 x 70 x 14 cm	400 V	5 kW	
PO-70105	6 (ø34)	97 x 124 x 43 cm	70 x 105 x 14 cm	400 V	8 kW	

### Double Deck

Code	Capacity	External Dimensions	Internal Dimensions	Energy	Total Power	Price
PO-D-7070	4 + 4 (ø34)	97 x 89 x 76 cm	2 x (70 x 70 x 14 cm)	400 V	10 kW	
PO-D 70105	6 + 6 (ø34)	97 x 124 x 76 cm	2 x (70 x 105 x 14 cm)	400 V	15 kW	



Stands for Single Deck Ovens

Code	External Dimensions	Price
S-S 3232	53 x 50 x 110 cm	
S-S 4040	63 x 60 x 110 cm	
S-S 5151	80 x 74 x 110 cm	
S-S 6262	88 x 80 x 110 cm	
S-S 9262	118 x 80 x 110 cm	
S-S 6292	88 x 110 x 110 cm	
S-S 9292	118 x 115 x 110 cm	
S-S 7070	97 x 89 x 110 cm	
S-S 70105	97 x 124 x 110 cm	

Stands for Double Deck Ovens

Code	External Dimensions	Price
S-D 3232	53 x 50 x 85 cm	
S-D 4040	63 x 60 x 85 cm	
S-D 5151	80 x 74 x 85 cm	
S-D 6262	88 x 80 x 85 cm	
S-D 9262	118 x 80 x 85 cm	
S-D 6292	88 x 110 x 85 cm	
S-D 9292	118 x 115 x 85 cm	
S-D 7070	97 x 89 x 85 cm	
S-D 70105	97 x 124 x 85 cm	

---

CONVEYOR  
PIZZA OVEN

---





- Stainless steel front, sides, top and interior
- Produced for speeding up your service in catering
- Forced air system for fast cooking
- Conveyor-fitted
- Stackable up to three high
- Digital display to adjust the conveyor speed and temperature
- 3 different conveyor ovens in sizes for different demands
- Energy efficient heating system
- Energy: 400 V

### Electric Conveyor Pizza Oven

Code	Output	Dimensions	Belt Width	Cooking Chamber	Total Power	Price
CP-E 45	40 p/h (ø30)	1043 x1710 x 450 mm	456 mm	486 x 710 x 77 mm	10 kW	



- Stainless steel front, sides, top and interior
- Produced for speeding up your service in catering
- Forced air system for fast cooking
- Conveyor-fitted
- Stackable up to three high
- Digital display to adjust the conveyor speed and temperature
- 3 different conveyor ovens in sizes for different demands
- Energy efficient heating system
- Energy: 400 V

### Electric Conveyor Pizza Oven

Code	Output	Dimensions	Belt Width	Cooking Chamber	Total Power	Price
CP-E 61	90 p/h (ø30)	1218 x 1957 x 570 mm	610 mm	655 x 915 x 87 mm	20 kW	



- Stainless steel front, sides, top and interior
- Produced for speeding up your service in catering
- Forced air system for fast cooking
- Conveyor-fitted
- Stackable up to three high
- Digital display to adjust the conveyor speed and temperature
- 3 different conveyor ovens in sizes for different demands
- Energy efficient heating system
- Energy: 400 V



### Electric Conveyor Pizza Oven

Code	Output	Dimensions	Belt Width	Cooking Chamber	Total Power	Price
CP-E 81	135 p/h (ø30)	1545 x 2005 x 755 mm	810 mm	855 x 1025 x 87 mm	27 kW	





Standard



Code	Dimensions	Filters			Price
CEHC 2020	200 x 200 x 50 cm	6	✓	✓	
CEHC 2520	250 x 200 x 50 cm	8	✓	✓	
CEHC 3020	300 x 200 x 50 cm	10	✓	✓	
CEHC 3520	350 x 200 x 50 cm	12	✓	✓	
CEHC 4020	400 x 200 x 50 cm	14	✓	✓	

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Welded construction
- 100% no leaks
- Energy efficient LED lighting
- Fat drain valve
- Labyrinth filters: 500 x 500 mm
- Optional: Fully AISI 304






Double-Walled



Code	Dimensions	Filters			Price
CEHC-D 2020	200 x 200 x 50 cm	6	✓	✓	
CEHC-D 2520	250 x 200 x 50 cm	8	✓	✓	
CEHC-D 3020	300 x 200 x 50 cm	10	✓	✓	
CEHC-D 3520	350 x 200 x 50 cm	12	✓	✓	
CEHC-D 4020	400 x 200 x 50 cm	14	✓	✓	

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Welded construction
- 100% no leaks
- Energy efficient LED lighting
- Fat drain valve
- Labyrinth filters: 500 x 500 mm
- Optional: Fully AISI 304





### Standard

Code	Dimensions	Filters			Price
EHW 1010	100 x 100 x 40 cm	1	✓	✓	
EHW 1210	120 x 100 x 40 cm	2	✓	✓	
EHW 1410	140 x 100 x 40 cm	2	✓	✓	
EHW 1610	160 x 100 x 40 cm	2	✓	✓	
EHW 1810	180 x 100 x 40 cm	3	✓	✓	
EHW 2010	200 x 100 x 40 cm	3	✓	✓	
EHW 2210	220 x 100 x 40 cm	3	✓	✓	
EHW 2410	240 x 100 x 40 cm	4	✓	✓	
EHW 2510	250 x 100 x 40 cm	4	✓	✓	

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Welded construction
- 100% no leaks
- Energy efficient LED lighting
- Fat drain valve
- Labyrinth filters: 500 x 500 mm



- Optional: Fully AISI 304
- Optional: Can be produced in different sizes



Cubic

Code	Dimensions	Filters			Price
EHC 1010	100 x 100 x 40 cm	1	✓	✓	
EHC 1210	120 x 100 x 40 cm	2	✓	✓	
EHC 1410	140 x 100 x 40 cm	2	✓	✓	
EHC 1610	160 x 100 x 40 cm	2	✓	✓	
EHC 1810	180 x 100 x 40 cm	3	✓	✓	
EHC 2010	200 x 100 x 40 cm	3	✓	✓	
EHC 2210	220 x 100 x 40 cm	3	✓	✓	
EHC 2410	240 x 100 x 40 cm	4	✓	✓	
EHC 2510	250 x 100 x 40 cm	4	✓	✓	

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Welded construction
- 100% no leaks
- Energy efficient LED lighting
- Fat drain valve
- Labyrinth filters: 500 x 500 mm



- Optional: Fully AISI 304
- Optional: Can be produced in different sizes







### Double-Walled

Code	Dimensions	Filters			Price
EHC-D 2013	200 x 130 x 50 cm	3	✓	✓	
EHC-D 2513	250 x 130 x 50 cm	4	✓	✓	
EHC-D 3013	300 x 130 x 50 cm	5	✓	✓	
EHC-D 3513	350 x 130 x 50 cm	6	✓	✓	
EHC-D 4013	400 x 130 x 50 cm	7	✓	✓	

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Welded construction
- 100% no leaks
- Energy efficient LED lighting
- Fat drain valve
- Labyrinth filters: 500 x 500 mm



- Optional: Fully AISI 304
- Optional: Can be produced in different sizes

STAINLESS STEEL  
FURNITURE



## Work Table

### 600 Line

Code	Dimensions	Price
WT-0860	80 x 60 x 90 cm	
WT-1060	100 x 60 x 90 cm	
WT-1260	120 x 60 x 90 cm	
WT-1460	140 x 60 x 90 cm	
WT-1560	150 x 60 x 90 cm	
WT-1660	160 x 60 x 90 cm	
WT-1860	180 x 60 x 90 cm	
WT-2060	200 x 60 x 90 cm	

### 700 Line

Code	Dimensions	Price
WT-0870	80 x 70 x 90 cm	
WT-1070	100 x 70 x 90 cm	
WT-1270	120 x 70 x 90 cm	
WT-1470	140 x 70 x 90 cm	
WT-1570	150 x 70 x 90 cm	
WT-1670	160 x 70 x 90 cm	
WT-1870	180 x 70 x 90 cm	
WT-2070	200 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Stainless steel bottom shelf
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing
- Self Assembly

#### Optional Features

- Optional: Polyethylene work top
- Optional: Height-adjustable intermediate shelf
- Optional: Backsplash
- Optional: Fully AISI 304



## Corner Work Table

### 600 Line

Code	Dimensions	Price
WT-K-1060	100 x 100 x 60 x 90 cm	

### 700 Line

Code	Dimensions	Price
WT-K-1070	100 x 100 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Self Assembly
- Stainless steel bottom shelf
- Adjustable height
- Legs stainless steel tube 40 × 40 mm
- Worktop with waterproof undergluing

#### Optional Features

- Optional: Polyethylene work top
- Optional: Backsplash
- Optional: Fully AISI 304



## Cupboard

### 600 Line

Code	Dimensions	Price
WTC-1060	100 x 60 x 90 cm	
WTC-1260	120 x 60 x 90 cm	
WTC-1460	140 x 60 x 90 cm	
WTC-1560	150 x 60 x 90 cm	
WTC-1660	160 x 60 x 90 cm	
WTC-1860	180 x 60 x 90 cm	
WTC-2060	200 x 60 x 90 cm	

### 700 Line

Code	Dimensions	Price
WTC-1070	100 x 70 x 90 cm	
WTC-1270	120 x 70 x 90 cm	
WTC-1470	140 x 70 x 90 cm	
WTC-1570	150 x 70 x 90 cm	
WTC-1670	160 x 70 x 90 cm	
WTC-1870	180 x 70 x 90 cm	
WTC-2070	200 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Height-adjustable intermediate shelf inside of doors
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing

#### Optional Features

- Optional: Open front
- Optional: Polyethylene work top
- Optional: Backsplash
- Optional: Fully AISI 304



## Corner Cupboard

### 600 Line

Code	Dimensions	Price
WTC-K-1060	100 x 100 x 60 x 90 cm	

### 700 Line

Code	Dimensions	Price
WTC-K-1070	100 x 100 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing

#### Optional Features

- Optional: Polyethylene work top
- Optional: Backsplash
- Optional: Fully AISI 304

CUPBOARD with DOORS and DRAWERS



Cupboard with Doors and Drawers

600 Line

Code	Dimensions	Price
WTC-D-1460	140 x 60 x 90 cm	
WTC-D-1560	150 x 60 x 90 cm	
WTC-D-1660	160 x 60 x 90 cm	
WTC-D-1860	180 x 60 x 90 cm	
WTC-D-2060	200 x 60 x 90 cm	

700 Line

Code	Dimensions	Price
WTC-D-1470	140 x 70 x 90 cm	
WTC-D-1570	150 x 70 x 90 cm	
WTC-D-1670	160 x 70 x 90 cm	
WTC-D-1870	180 x 70 x 90 cm	
WTC-D-2070	200 x 70 x 90 cm	

Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Height-adjustable intermediate shelf inside of doors
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing

Optional Features

- Optional: Polyethylene work top
- Optional: Backsplash
- Optional: Fully AISI 304

CUPBOARD with DOORS, DRAWERS and CONTAINER



Cupboard with Doors, Drawers and Container

600 Line

Code	Dimensions	Price
WTC-DC-1460	140 x 60 x 90 cm	
WTC-DC-1660	160 x 60 x 90 cm	
WTC-DC-1860	180 x 60 x 90 cm	
WTC-DC-2060	200 x 60 x 90 cm	

700 Line

Code	Dimensions	Price
WTC-DC-1470	140 x 70 x 90 cm	
WTC-DC-1670	160 x 70 x 90 cm	
WTC-DC-1870	180 x 70 x 90 cm	
WTC-DC-2070	200 x 70 x 90 cm	

Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Height-adjustable intermediate shelf inside of doors
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing

Optional Features

- Optional: Polyethylene work top
- Optional: Backsplash
- Optional: Fully AISI 304





## Cupboard with Containers

### 600 Line

Code	Dimensions	Price
WT-C-0460	40 x 60 x 90 cm	
WT-C-0560	50 x 60 x 90 cm	
WT-2C-0860	80 x 60 x 90 cm	
WT-2C-1060	100 x 60 x 90 cm	

### 700 Line

Code	Dimensions	Price
WT-C-0470	40 x 70 x 90 cm	
WT-C-0570	50 x 70 x 90 cm	
WT-2C-0870	80 x 70 x 90 cm	
WT-2C-1070	100 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing

#### Optional Features

- Optional: Polyethylene work top
- Optional: Backsplash
- Optional: Fully AISI 304



## Cupboard with Drawers

### 600 Line

Code	Dimensions	Price
WT-2D-0460	40 x 60 x 90 cm	
WT-2D-0560	50 x 60 x 90 cm	
WT-2D-0660	60 x 60 x 90 cm	
WT-3D-0460	40 x 60 x 90 cm	
WT-3D-0560	50 x 60 x 90 cm	
WT-3D-0660	60 x 60 x 90 cm	
WT-4D-0860	80 x 60 x 90 cm	
WT-4D-1060	100 x 60 x 90 cm	
WT-6D-0860	80 x 60 x 90 cm	
WT-6D-1060	100 x 60 x 90 cm	

### 700 Line

Code	Dimensions	Price
WT-2D-0470	40 x 70 x 90 cm	
WT-2D-0570	50 x 70 x 90 cm	
WT-2D-0670	60 x 70 x 90 cm	
WT-3D-0470	40 x 70 x 90 cm	
WT-3D-0570	50 x 70 x 90 cm	
WT-3D-0670	60 x 70 x 90 cm	
WT-4D-0870	80 x 70 x 90 cm	
WT-4D-1070	100 x 70 x 90 cm	
WT-6D-0870	80 x 70 x 90 cm	
WT-6D-1070	100 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Stainless steel legs adjustable in height
- Worktop with waterproof underglying

#### Optional Features

- Optional: Polyethylene work top
- Optional: Backsplash
- Optional: Fully AISI 304



## Work Table with Sink

### 600 Line

Code	Dimensions	Price
WT-S-0660-B	60 x 60 x 90 cm	
WT-S-0760-B	70 x 60 x 90 cm	
WT-S-1060-B	100 x 60 x 90 cm	
WT-S-1260-B	120 x 60 x 90 cm	
WT-S-1460-B	140 x 60 x 90 cm	

### 700 Line

Code	Dimensions	Price
WT-S-0670-B	60 x 70 x 90 cm	
WT-S-0770-B	70 x 70 x 90 cm	
WT-S-1070-B	100 x 70 x 90 cm	
WT-S-1270-B	120 x 70 x 90 cm	
WT-S-1470-B	140 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Sink top ss 304
- Stainless steel bottom shelf
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing
- With backsplash

#### Optional Features

- Optional: Fully AISI 304
- Optional: Right or left drip tray



### Work Table with Double Sink

#### 600 Line

Code	Dimensions	Price
WT-2S-1460-B	140 x 60 x 90 cm	
WT-2S-1660-B	160 x 60 x 90 cm	
WT-2S-1860-B	180 x 60 x 90 cm	
WT-2S-2060-B	200 x 60 x 90 cm	

#### 700 Line

Code	Dimensions	Price
WT-S2-1470-B	140 x 70 x 90 cm	
WT-2S-1670-B	160 x 70 x 90 cm	
WT-2S-1870-B	180 x 70 x 90 cm	
WT-2S-2070-B	200 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Sink top ss 304
- Stainless steel bottom shelf
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing
- With backsplash

#### Optional Features

- Optional: Fully AISI 304
- Optional: Right or left drip tray



## Cupboard with Sink

### 600 Line

Code	Dimensions	Price
WTC-S-1060-B	100 x 60 x 90 cm	
WTC-S-1260-B	120 x 60 x 90 cm	
WTC-S-1460-B	140 x 60 x 90 cm	

### 700 Line

Code	Dimensions	Price
WTC-S-1070-B	100 x 70 x 90 cm	
WTC-S-1270-B	120 x 70 x 90 cm	
WTC-S-1470-B	140 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Sink top ss 304
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing
- With backsplash

#### Optional Features

- Optional: Fully AISI 304
- Optional: Right or left drip tray
- Optional: Drawers on right or left



### Cupboard with Double Sink

#### 600 Line

Code	Dimensions	Price
WTC-2S-1460-B	140 x 60 x 90 cm	
WTC-2S-1660-B	160 x 60 x 90 cm	
WTC-2S-1860-B	180 x 60 x 90 cm	
WTC-2S-2060-B	200 x 60 x 90 cm	

#### 700 Line

Code	Dimensions	Price
WTC-2S-1470-B	140 x 70 x 90 cm	
WTC-2S-1670-B	160 x 70 x 90 cm	
WTC-2S-1870-B	180 x 70 x 90 cm	
WTC-2S-2070-B	200 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Sink top ss 304
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing
- With backsplash

#### Optional Features

- Optional: Fully AISI 304
- Optional: Right or left drip tray
- Optional: Drawers on right or left



### Dishwasher Sink Table

700 Line

Code	Dimensions	Price
WT-SDW-1270-B	120 x 70 x 90 cm	
WT-SDW-1470-B	140 x 70 x 90 cm	

700 Line

Code	Dimensions	Price
WT-2SDW-1870-B	180 x 70 x 90 cm	
WT-2SDW-2070-B	200 x 70 x 90 cm	

Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Sink top ss 304
- Stainless steel bottom shelf
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing
- With backsplash

Optional Features

- Optional: Fully AISI 304
- Optional: Right or left drip tray



### Dishwasher Sink Cupboard

700 Line

Code	Dimensions	Price
WTC-SDW-1270-B	120 x 70 x 90 cm	
WTC-SDW-1470-B	140 x 70 x 90 cm	

700 Line

Code	Dimensions	Price
WTC-2SDW-1870-B	180 x 70 x 90 cm	
WTC-2SDW-2070-B	200 x 70 x 90 cm	

Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Sink top ss 304
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing
- With backsplash

Optional Features

- Optional: Fully AISI 304
- Optional: Right or left drip tray





Storage Rack

400 Line

Code	Dimensions	Price
SU-0940	90 x 40 x 180 cm	
SU-1040	100 x 40 x 180 cm	
SU-1240	120 x 40 x 180 cm	
SU-1440	140 x 40 x 180 cm	
SU-1640	160 x 40 x 180 cm	
SU-1840	180 x 40 x 180 cm	
SU-2040	200 x 40 x 180 cm	

500 Line

Code	Dimensions	Price
SU-0950	90 x 50 x 180 cm	
SU-1050	100 x 50 x 180 cm	
SU-1250	120 x 50 x 180 cm	
SU-1450	140 x 50 x 180 cm	
SU-1650	160 x 50 x 180 cm	
SU-1850	180 x 50 x 180 cm	
SU-2050	200 x 50 x 180 cm	

Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Self Assembly
- Adjustable in height
- Legs stainless steel tube 40 x 40 mm

Optional Features

- Optional: Perforated shelf
- Optional: Fully AISI 304



## Storage Cupboard

600 Line

Code	Dimensions	Price
PC-1260	120 x 60 x 200 cm	
PC-1460	140 x 60 x 200 cm	
PC-1660	160 x 60 x 200 cm	
PC-1860	180 x 60 x 200 cm	
PC-2060	200 x 60 x 200 cm	

### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Height-adjustable intermediate shelves
- Stainless steel legs

### Optional Features

- Optional: Fully AISI 304
- Optional: Hinged one door



### Wall Cupboard

400 Line

Code	Dimensions	Price
WC-1040	100 x 40 x 65 cm	
WC-1240	120 x 40 x 65 cm	
WC-1440	140 x 40 x 65 cm	
WC-1540	150 x 40 x 65 cm	
WC-1640	160 x 40 x 65 cm	
WC-1840	180 x 40 x 65 cm	
WC-2040	200 x 40 x 65 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Height-adjustable intermediate shelves
- Sliding door

#### Optional Features

- Optional: Fully AISI 304
- Optional: Open front

### CORNER WALL CUPBOARD



400 Line

Code	Dimensions	Price
WC-K-7070	70 x 70 x 40 x 65 cm	



## Waste Bin

400 Line

Code	Dimensions	Price
WB-C-0540	50 x 40 x 100 cm	

### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Opening with tilting container
- Adjustable in height

### Optional Features

- Optional: Fully AISI 304



## Waste Bin

470 Line

Code	Dimensions	Price
WB-4747	47 x 47 x 126 cm	

### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Hinged door
- Adjustable in height

### Optional Features

- Optional: Fully AISI 304





## Wall Shelves

### 300 Line

Code	Dimensions	Price
WSS-0630	60 x 30 x 36 cm	
WSS-0830	80 x 30 x 36 cm	
WSS-1030	100 x 30 x 36 cm	
WSS-1230	120 x 30 x 36 cm	
WSS-1430	140 x 30 x 36 cm	
WSS-1530	150 x 30 x 36 cm	
WSS-1630	160 x 30 x 36 cm	
WSS-1830	180 x 30 x 36 cm	
WSS-2030	200 x 30 x 36 cm	

### 400 Line

Code	Dimensions	Price
WSS-0640	60 x 40 x 36 cm	
WSS-0840	80 x 40 x 36 cm	
WSS-1040	100 x 40 x 36 cm	
WSS-1240	120 x 40 x 36 cm	
WSS-1440	140 x 40 x 36 cm	
WSS-1540	150 x 40 x 36 cm	
WSS-1640	160 x 40 x 36 cm	
WSS-1840	180 x 40 x 36 cm	
WSS-2040	200 x 40 x 36 cm	

- \* WSD model - Double shelves height: 70 cm
- \*\* WST model - Triple shelves height: 100 cm

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Self Assembly
- Adjustable in height
- Including console
- Including strip

#### Optional Features

- Optional: Perforated shelf
- Optional: Fully AISI 304



**ELECTRIC DONER GRILL**



**Electric Doner Grill**

Code	Dimensions	Radian	Motor	Max. Meat Capacity	Total Power	Price
MA-E3	547 x 663 x 910 mm	3	Bottom	30 kg	5100 W	
MA-E4	547 x 663 x 1070 mm	4	Bottom	70 kg	6800 W	
MA-E5	547 x 663 x 1230 mm	5	Bottom	80 kg	8500 W	
MA-V-E44	750 x 860 x 1240 mm	4+4	Bottom	2 x 50 kg	13600 W	
MA-V-E55	750 x 860 x 1260 mm	5+5	Bottom	2 x 60 kg	17000 W	
MU-E3	545 x 691 x 982 mm	3	Upper	30 kg	5100 W	
MU-E4	545 x 691 x 1142 mm	4	Upper	50 kg	6800 W	
MU-E5	545 x 731 x 1302 mm	5	Upper	80 kg	8500 W	

- Manufactured from stainless steel in accordance with the food regulations
- 3, 4, 5 and 6 electric radians as options
- Bottom or Upper motors
- Robax Color Thermal Glass
- The meat and the heaters position can be adjust with moving the body
- The heating elements can operate seperately
- Heating resistances operate independently in both max. and min. level
- 220V – 50Hz



Gas Doner Grill

Code	Dimensions	Radian	Motor	Max. Meat Capacity	Consumption	Price
MA-G3	565 x 664 x 912 mm	3	Bottom	40 kg	0,786 m <sup>3</sup> /h	
MA-G4	565 x 664 x 1087 mm	4	Bottom	70 kg	1,048 m <sup>3</sup> /h	
MA-G5	565 x 664 x 1262 mm	5	Bottom	100 kg	1,310 m <sup>3</sup> /h	
MA-G6	547 x 662 x 1422 mm	6	Bottom	120 kg	1,572 m <sup>3</sup> /h	
MA-T-G44	635 x 1110 x 1070 mm	4+4	Bottom	2 x 80 kg	2,096 m <sup>3</sup> /h	
MA-V-G44	730 x 770 x 1050 mm	4+4	Bottom	2 x 50 kg	2,096 m <sup>3</sup> /h	
MA-V-G55	730 x 770 x 1210 mm	5+5	Bottom	2 x 60 kg	2,620 m <sup>3</sup> /h	
MU-G3	545 x 640 x 982 mm	3	Upper	30 kg	0,786 m <sup>3</sup> /h	
MU-G4	545 x 640 x 1142 mm	4	Upper	50 kg	1,048 m <sup>3</sup> /h	
MU-G5	545 x 678 x 1304 mm	5	Upper	80 kg	1,310 m <sup>3</sup> /h	

- Manufactured from stainless steel in accordance with the food regulations
- 3, 4, 5 and 6 gas powered burners as options
- Bottom or Upper motors
- The meat and the heaters position can be adjust with moving the body
- The heating elements can operate seperately
- Heating resistances operate independently in both max. and min. level
- Equipped with AISI 310 S Cr-Ni radiant wire
- Optional: Robax Color Thermal Glass





SINGLE DOOR BOTTLE COOLER



BC-S-P 358

Standard Features

- Evaporator Type Roll Bond
- Light Switch
- Fan Switch
- Tempered Double Glass
- Mechanical Thermostat Type
- Metal Kick Plate
- Built-in Handle
- Black Color Plastic Frame Door
- White Metal Inner Body
- Outer Body Type White painted on galvanized sheet 0,45 mm
- Internal Canopy
- Shelf Type PVC Coated Wire Shelf
- Adjustable Front Foot (pcs)
- 2200 mm / 3x1 mm<sup>2</sup> Power Cable Length

Bottle Cooler

BC-S-P 358	
Volume, Gross / Net (l)	375 / 351
External Dimensions (mm)	591 x 605 x 1995
Internal Dimensions (mm)	503 x 425 x 1616
Can Loading Capacity (Std - Max) (330 ml) / Facing	406 -476 / 7
Lighting	LED on Top
Shelf Quantity	5
Cooler Refrigerant Type	R600a
Cooler Climate Class	4/CC2K4 (32°C/65% Rh)
Cooler Temp. Range (°C)	+1 / +9
Loading (20' DC)	27
Loading (40' HC)	57
Loading (Truck - 13,6 m)	84
Cooler Voltage / Frequency (V / Hz)	220~240 / 50

Optional Features

- Plastic Bottom Shutter (Black)
- Body in Different Colors
- Internal Canopy
- Curved Canopy and Kickplate
- Night Cover
- Door Lock
- Energy Lamp (Green)
- Single Low-e Glass
- Aluminium Gray Door Frame Flat Door (Spring Hinged)
- Aluminium Gray Door Frame (Powder Coat, Inox Grey)
- Plastic Door Frame in Different Colors
- Self Closing Door
- Inner Body Power LED Lighting
- On Door 3D LED Lighting
- Sticker Application Left-Right Sides
- Door Sticker Full
- Price Holders and Strips
- Digital and Analog Thermometer
- Digital Thermostat
- 115 V / 60 Hz - 220 V / 60 Hz

SINGLE DOOR BOTTLE COOLER



BC-S-P 516

**Standard Features**

- Evaporator Type Roll Bond
- Light Switch
- Fan Switch
- Tempered Double Glass
- Mechanical Thermostat Type
- Plastic Kick Plate (Black Color)
- Built-in Handle
- White Metal inner Body
- Outer Body Type White painted on galvanized sheet 0,45 mm
- Internal Canopy
- Adjustable Front Foot (pcs)
- Wheels (Roller)
- 2200 mm / 3x1 mm<sup>2</sup> Power Cable Length


**Bottle Cooler**

BC-S-P 516	
Volume, Gross / Net (l)	569 / 517
External Dimensions (mm)	638 x 740 x 2146
Internal Dimensions (mm)	548 x 590 x 1481
Can Loading Capacity (Std - Max) (330 ml) / Facing	616 / 8
Lighting	LED on Top
Shelf Quantity	5
Cooler Refrigerant Type	R600a
Cooler Climate Class	4/CC2K4 (32°C/65% Rh)
Cooler Temp. Range (°C)	+1 / +9
Loading (20' DC)	24
Loading (40' HC)	54
Loading (Truck - 13,6 m)	60
Cooler Voltage / Frequency (V / Hz)	220~240 / 50

**Optional Features**

- Body in Different Colors
- Internal Canopy
- Frameless Canopy (Metal)
- Night Cover
- Door Lock
- Energy Lamp (Green)
- Single Low-e Glass
- Aluminium Frame Flat Door (Spring Hinged)
- Aluminium Gray Door Frame (Powder Coat, Inox Grey)
- Plastic Door Frame in Different Colors
- Self Closing Door
- Inner Body Power LED Lighting
- On Door 3D LED Lighting
- Sticker Application Left-Right Sides
- Door Sticker Full
- Price Holders and Strips
- Digital and Analog Thermometer
- Digital Thermostat
- R134a Refrigerant Gas
- 115 V / 60 Hz - 220 V / 60 Hz

## SINGLE DOOR BOTTLE COOLER



BC-S-P 645

**Standard Features**

- Evaporator Type Roll Bond
- Light Switch
- Fan Switch
- Tempered Double Glass
- Mechanical Thermostat Type
- Black Color Plastic Frame Door
- Built-in Handle
- Inner Body Type White Metal Body
- Outer Body Type White painted on galvanized sheet 0,45 mm
- Internal Canopy
- Shelf Type PVC Coated Wire Shelf
- Adjustable Front Foot (pcs)
- Wheels (Roller)
- 2200 mm / 3x1 mm<sup>2</sup> Power Cable Length

**Bottle Cooler**

BC-S-P 645	
Volume, Gross / Net (l)	709 / 646
External Dimensions (mm)	773 x 740 x 2146
Internal Dimensions (mm)	683 x 590 x 1481
Can Loading Capacity (Std - Max) (330 ml) / Facing	770 / 10
Lighting	LED on Top
Shelf Quantity	5
Cooler Refrigerant Type	R290
Cooler Climate Class	4/CC2K4 (32°C/65% Rh)
Cooler Temp. Range (°C)	+1 / +9
Loading (20' DC)	21
Loading (40' HC)	45
Loading (Truck - 13,6 m)	51
Cooler Voltage / Frequency (V / Hz)	220~240 / 50

**Optional Features**

- Body in Different Colors
- Internal Canopy
- Frameless Canopy (Metal)
- Night Cover
- Door Lock
- Energy Lamp (Green)
- Single Low-e Glass
- Aluminium Frame Flat Door with (Spring Hinged)
- Aluminium Gray Door Frame (Powder Coat, Inox Grey)
- Plastic Door Frame in Different Colors
- Self Closing Door
- Inner Body Power LED Lighting
- On Door 3D LED Lighting
- Sticker Application Left-Right Sides
- Door Sticker Full
- Price Holders and Strips
- Digital and Analog Thermometer
- Digital Thermostat
- R134a Refrigerant Gas
- 115 V / 60 Hz - 220 V / 60 Hz

DOUBLE DOOR BOTTLE COOLER



BC-D-P 828

**Standard Features**

- Evaporator Type Roll Bond
- Light Switch
- Fan Switch
- Tempered Double Glass
- Mechanical Thermostat Type
- Metal Kick Plate
- Black Color Plastic Frame Door
- Built-in Handle
- White Metal Inner Body
- Outer Body Type White painted on galvanized sheet 0,45 mm
- Internal Canopy
- Shelf Type PVC Coated Wire Shelf
- Adjustable Front Foot (pcs)
- Wheels (Roller)
- 2200 mm / 3x1 mm<sup>2</sup> Power Cable Length

**Bottle Cooler**

BC-D-P 828	
Volume, Gross / Net (l)	915 / 829
External Dimensions (mm)	978 x 740 x 2146
Internal Dimensions (mm)	888 x 590 x 1481
Can Loading Capacity (Std - Max) (330 ml) / Facing	1001 / 13
Lighting	LED on Top
Shelf Quantity	4
Cooler Refrigerant Type	R290
Cooler Climate Class	4/CC2K4 (32°C/65% Rh)
Cooler Temp. Range (°C)	+1 / +9
Loading (20' DC)	17
Loading (40' HC)	36
Loading (Truck - 13,6 m)	39
Cooler Voltage / Frequency (V / Hz)	220~240 / 50

**Optional Features**

- Body in Different Colors
- Internal Canopy
- Frameless Canopy (Metal)
- Night Cover
- Door Lock
- Energy Lamp (Green)
- Single Low-e Glass
- Aluminium Frame Flat Door with (Spring Hinged)
- Aluminium Gray Door Frame (Powder Coat, Inox Grey)
- Plastic Door Frame in Different Colors
- Self Closing Door
- Residual Current Relay Plug Group
- On Door 3D LED Lighting
- Sticker Application Left-Right Sides
- Door Sticker Full
- Price Holders and Strips
- Digital and Analog Thermometer
- Digital Thermostat
- R134a Refrigerant Gas
- 115 V / 60 Hz - 220 V / 60 Hz

DOUBLE DOOR BOTTLE COOLER



BC-D-P 1037

Standard Features

- Evaporator Type Roll Bond
- Light Switch
- Fan Switch
- Tempered Double Glass
- Mechanical Thermostat Type
- Metal Kick Plate
- Black Color Plastic Frame Door
- Built-in Handle
- White Metal Inner Body
- Outer Body Type White painted on galvanized sheet 0,45 mm
- Internal Canopy
- Shelf Type PVC Coated Wire Shelf
- Adjustable Front Foot (pcs)
- Wheels (Roller)
- 2200 mm / 3x1 mm<sup>2</sup> Power Cable Length

Bottle Cooler

BC-D-P 1037	
Volume, Gross / Net (l)	1142 / 1031
External Dimensions (mm)	1198 x 740 x 2146
Internal Dimensions (mm)	1108 x 590 x 1481
Can Loading Capacity (Std - Max) (330 ml) / Facing	1232 / 16
Lighting	LED on Top
Shelf Quantity	4
Cooler Refrigerant Type	R290
Cooler Climate Class	4/CC2K4 (32°C/65% Rh)
Cooler Temp. Range (°C)	+1 / +9
Loading (20' DC)	13
Loading (40' HC)	28
Loading (Truck - 13,6 m)	34
Cooler Voltage / Frequency (V / Hz)	220~240 / 50

Optional Features

- Body in Different Colors
- Internal Canopy
- Frameless Canopy (Metal)
- Night Cover
- Door Lock
- Energy Lamp (Green)
- Self Closing Door
- Aluminium Frame Flat Door with (Spring Hinged)
- Aluminium Gray Door Frame (Powder Coat, Inox Grey)
- Plastic Door Frame in Different Colors
- Residual Current Relay Plug Group
- On Door 3D LED Lighting
- Sticker Application Left-Right Sides
- Door Sticker Full
- Price Holders and Strips
- Digital and Analog Thermometer
- Digital Thermostat
- R134a Refrigerant Gas
- 115 V / 60 Hz - 220 V / 60 Hz

TRIPLE DOOR BOTTLE COOLER



BC-T-P 1215

**Standard Features**

- Evaporator Type Roll Bond
- Light Switch
- Fan Switch
- Tempered Double Glass
- Mechanical Thermostat Type
- Metal Kick Plate
- Black Color Plastic Frame Door
- Built-in Handle
- White Metal inner Body
- Outer Body Type White painted on galvanized sheet 0,45 mm
- Shelf Type PVC Coated Wire Shelf
- Adjustable Front Foot (pcs)
- Wheels (Roller)
- 2200 mm / 3x1,5 mm<sup>2</sup> Power Cable Length

**Bottle Cooler**

BC-T-P 1215	
Volume, Gross / Net (l)	1493 / 1216
External Dimensions (mm)	1498 x 690 x 2076
Internal Dimensions (mm)	1408 x 590 x 1541
Can Loading Capacity (Std - Max) (330 ml) / Facing	1476 / 20
Lighting	LED on Top
Shelf Quantity	4 + 4 + 4
Cooler Refrigerant Type	R290
Cooler Climate Class	4/CC2K4 (32°C/65% Rh)
Cooler Temp. Range (°C)	+1 / +9
Loading (20' DC)	10
Loading (40' HC)	22
Loading (Truck - 13,6 m)	27
Cooler Voltage / Frequency (V / Hz)	220~240 / 50

**Optional Features**

- Body in Different Colors
- Internal Canopy
- Residual Current Relay Plug Group
- Night Cover
- Door Lock
- Energy Lamp (Green)
- Single Low-e Glass
- Aluminium Frame Flat Door with (Spring Hinged)
- Aluminium Gray Door Frame (Powder Coat, Inox Grey)
- Plastic Door Frame in Different Colors
- Self Closing Door
- Inner Body Power LED Lighting
- On Door 3D LED Lighting
- Sticker Application Left-Right Sides
- Door Sticker Full
- Price Holders and Strips
- Digital and Analog Thermometer
- R134a Refrigerant Gas
- 115 V / 60 Hz - 220 V / 60 Hz



Specifications are subject to change without notice.

Alsancak Mah. Ataturk Cad.

No: 336 Onart Apt. K: 1 D: 1

35220 Konak, Izmir, Turkey

Tel. +90 232 465 0101

Mobile: +90 532 610 9198    Mobile: +90 533 546 2666

[www.alpfaglobal.com](http://www.alpfaglobal.com)    [info@alpfaglobal.com](mailto:info@alpfaglobal.com)