




KITCHEN EQUIPMENT

CATALOGUE 2022 / 1



A G L

# ABOUT US

---

AGL provides and exports high-performance, user-friendly, long-lasting, carefully designed industrial kitchen equipment. We produce solutions for your restaurants, cafes and bars with our long knowledge and sector experience by listening and understanding you.








Alongside our comprehensive catalogue, we lead the industry with services that make our customers' daily lives efficient.

Design | Technology | Production | Project

PIZZA OVENS  
BANQUET TROLLEY  
BAIN MARIE  
BBQ  
REFRIGERATORS  
CREPE  
WAFFLE

NEUTRAL UNITS  
BOTTLE COOLERS  
COOKING EQUIPMENT



	PIZZA OVEN	
		<hr/>
	Mini Pizza Ovens	08
	25 Series Pizza Ovens	09
	30 Series Pizza Ovens	10
	34 Series Pizza Ovens	11
	Pizza Oven Stands	12
	CONVEYOR PIZZA OVEN	
		<hr/>
	456 Series Conveyor Pizza Oven	14
	610 Series Conveyor Pizza Oven	15
	810 Series Conveyor Pizza Oven	16
	CONTACT GRILL	
		<hr/>
	S Series Contact Grill	18
	E Series Contact Grill	19
	WAFFLE and CREPE	
		<hr/>
	Classic Waffle Iron	21
	Flower Model Waffle Iron	22
	Bar Model Flower Iron	23
	Crepe Maker	24
	SALAMANDER	
		<hr/>
	Lift Salamander	26
	BOTTLE COOLER	
		<hr/>
	Single Door Bottle Cooler	28
	Double Door Bottle Cooler	29
	Open Front Cooler - Large	30
	Open Front Cooler - Medium	31
	Supermarket Cooler - 600 Series	32
	Supermarket Cooler - 700 Series	33
	COOKING EQUIPMENT	
		<hr/>
	600 SERIES	
	Electric Deep Fryer	35
	Gas Deep Fryer	36
	Electric Cooker	37
	Gas Cooker	38
	Electric Plate Grill	39
	Electric Plate Grill - Chrome	40



## COOKING EQUIPMENT

---

600 SERIES	Gas Plate Grill	41
	Gas Plate Grill - Chrome	42
	Pasta Cooker	43
	Chip Scuttle	44
	Sauce Bain Marie	45
	Lavastone Grill	46
	Gas Range	47
	Neutral Bench	48
	Base Cupboard	49

---

700 SERIES	Electric Deep Fryer	50
	Gas Deep Fryer	51
	Electric Cooker	52
	Gas Cooker	53
	Electric Plate Grill	54
	Electric Plate Grill - Chrome	55
	Gas Plate Grill	56
	Gas Plate Grill - Chrome	57
	Electric Pasta Cooker	58
	Gas Pasta Cooker	59
	Chip Scuttle	60
	Sauce Bain Marie	61
	Electric Pipe Grill	62
	Gas Cast Iron Grill	63
	Lavastone Grill	64
	Wok Stove	65
	Electric Tilting Bratt Pan	66
	Gas Tilting Bratt Pan	67
	Electric Boiling Pan - Indirect	68
	Gas Boiling Pan - Indirect	69
	Electric Range	70
	Gas Range	71
	Electric Cooker with Square Hot Plate	72
	Solid Top Electric Range	73
	Solid Top Gas Range	74
	Neutral Bench	75
	Base Cupboard	76

---

●	DISHWASHERS	
		<hr/>
	Undercounter Dishwasher	78
	Hood Type Dishwasher	80
	Undercounter Glasswasher	82
●	HOODS	
		<hr/>
	Central Type Hoods	85
	Wall Type Hoods	87
●	STAINLESS STEEL FURNITURES	
		<hr/>
	Stainless Steel Furnitures	91
●	DONER GRILLS	
		<hr/>
	Electric Doner Grills	111
	Gas Doner Grills	112
●	OUTDOOR EQUIPMENT	
		<hr/>
	BBQ Grills	114
	Outdoor Stove	118





PO-D-4040



- Front is made of stainless steel and body is made of stainless steel sheet
- Italian made refractory stone
- EGO brand thermostat
- Mineral rock wool insulation
- Vent chimney
- Interior lighting for each chamber
- Adjustable thermostat between 85°C-450°C
- Silicon and glass fiber cable

### Single Deck

Code	Capacity	External Dimensions	Internal Dimensions	Energy	Total Power	Price
PO-3232	1 (ø32)	53 x 50 x 29 cm	32 x 32 x 10 cm	230 V	2,5 kW	
PO-4040	1 (ø40)	63 x 60 x 29 cm	40 x 40 x 10 cm	230 V	3,5 kW	

### Double Deck

Code	Capacity	External Dimensions	Internal Dimensions	Energy	Total Power	Price
PO-D-3232	1 + 1 (ø32)	53 x 50 x 43 cm	2 x (32 x 32 x 10 cm)	400 V	5 kW	
PO-D-4040	1 + 1 (ø40)	63 x 60 x 43 cm	2 x (40 x 40 x 10 cm)	400 V	5,25 kW	





PO-D-5151

- Front is made of stainless steel and body is made of stainless steel sheet
- Italian made refractory stone
- EGO brand thermostat
- Mineral rock wool insulation
- Vent chimney
- Interior lighting for each chamber
- Adjustable thermostat between 85°C-450°C
- Silicon and glass fiber cable

### Single Deck

Code	Capacity	External Dimensions	Internal Dimensions	Energy	Total Power	Price
PO-5151	4 (ø25)	80 x 74 x 37 cm	51 x 51 x 10 cm	230 V	4 kW	

### Double Deck

Code	Capacity	External Dimensions	Internal Dimensions	Energy	Total Power	Price
PO-D-5151	4 + 4 (ø25)	80 x 74 x 52 cm	2 x (51 x 51 x 10 cm)	400 V	6 kW	



PO-D-9262

- Front is made of stainless steel and body is made of stainless steel sheet
- Italian made refractory stone
- EGO brand thermostat
- Mineral rock wool insulation
- Vent chimney
- Interior lighting for each chamber
- Adjustable thermostat between 85°C-450°C
- Analog temperature display
- Silicon and glass fiber cable

### Single Deck

Code	Capacity	External Dimensions	Internal Dimensions	Energy	Total Power	Price
PO-6262	4 (ø30)	88 x 80 x 43 cm	62 x 62 x 14 cm	400 V	5 kW	
PO-9262	6 (ø30)	118 x 80 x 43 cm	92 x 62 x 14 cm	400 V	6 kW	
PO-6292	6 (ø30)	88 x 110 x 43 cm	62 x 92 x 14 cm	400 V	6 kW	
PO-9292	9 (ø30)	118 x 115 x 43 cm	92 x 92 x 14 cm	400 V	8 kW	

### Double Deck

Code	Capacity	External Dimensions	Internal Dimensions	Energy	Total Power	Price
PO-D-6262	4 + 4 (ø30)	88 x 80 x 76 cm	2 x (62 x 62 x 14 cm)	400 V	10 kW	
PO-D-9262	6 + 6 (ø30)	118 x 80 x 76 cm	2 x (92 x 62 x 14 cm)	400 V	12 kW	
PO-D 6292	6 + 6 (ø30)	88 x 110 x 76 cm	2 x (62 x 92 x 14 cm)	400 V	12 kW	
PO-D-9292	9 + 9 (ø30)	118 x 115 x 76 cm	2 x (92 x 92 x 14 cm)	400 V	16 kW	



PO-D-7070

- Front is made of stainless steel and body is made of stainless steel sheet
- Italian made refractory stone
- EGO brand thermostat
- Mineral rock wool insulation
- Vent chimney
- Interior lighting for each chamber
- Adjustable thermostat between 85°C-450°C
- Analog temperature display
- Silicon and glass fiber cable

### Single Deck

Code	Capacity	External Dimensions	Internal Dimensions	Energy	Total Power	Price
PO-7070	4 (ø34)	97 x 89 x 43 cm	70 x 70 x 14 cm	400 V	5 kW	
PO-70105	6 (ø34)	97 x 124 x 43 cm	70 x 105 x 14 cm	400 V	8 kW	

### Double Deck

Code	Capacity	External Dimensions	Internal Dimensions	Energy	Total Power	Price
PO-D-7070	4 + 4 (ø34)	97 x 89 x 76 cm	2 x (70 x 70 x 14 cm)	400 V	10 kW	
PO-D 70105	6 + 6 (ø34)	97 x 124 x 76 cm	2 x (70 x 105 x 14 cm)	400 V	15 kW	



Stands for Single Deck Ovens

Code	External Dimensions	Price
S-S 3232	53 x 50 x 110 cm	
S-S 4040	63 x 60 x 110 cm	
S-S 5151	80 x 74 x 110 cm	
S-S 6262	88 x 80 x 110 cm	
S-S 9262	118 x 80 x 110 cm	
S-S 6292	88 x 110 x 110 cm	
S-S 9292	118 x 115 x 110 cm	
S-S 7070	97 x 89 x 110 cm	
S-S 70105	97 x 124 x 110 cm	

Stands for Double Deck Ovens

Code	External Dimensions	Price
S-D 3232	53 x 50 x 85 cm	
S-D 4040	63 x 60 x 85 cm	
S-D 5151	80 x 74 x 85 cm	
S-D 6262	88 x 80 x 85 cm	
S-D 9262	118 x 80 x 85 cm	
S-D 6292	88 x 110 x 85 cm	
S-D 9292	118 x 115 x 85 cm	
S-D 7070	97 x 89 x 85 cm	
S-D 70105	97 x 124 x 85 cm	

---

CONVEYOR  
PIZZA OVEN

---



- Stainless steel front, sides, top and interior
- Produced for speeding up your service in catering
- Forced air system for fast cooking
- Conveyor-fitted
- Stackable up to three high
- Digital display to adjust the conveyor speed and temperature
- 3 different conveyor ovens in sizes for different demands
- Energy efficient heating system
- Energy: 400 V

### Electric Conveyor Pizza Oven

Code	Output	Dimensions	Belt Width	Cooking Chamber	Total Power	Price
CP-E 45	40 p/h (ø30)	1043 x1710 x 450 mm	456 mm	486 x 710 x 77 mm	10 kW	



- Stainless steel front, sides, top and interior
- Produced for speeding up your service in catering
- Forced air system for fast cooking
- Conveyor-fitted
- Stackable up to three high
- Digital display to adjust the conveyor speed and temperature
- 3 different conveyor ovens in sizes for different demands
- Energy efficient heating system
- Energy: 400 V

### Electric Conveyor Pizza Oven

Code	Output	Dimensions	Belt Width	Cooking Chamber	Total Power	Price
CP-E 61	90 p/h (ø30)	1218 x 1957 x 570 mm	610 mm	655 x 915 x 87 mm	20 kW	



- Stainless steel front, sides, top and interior
- Produced for speeding up your service in catering
- Forced air system for fast cooking
- Conveyor-fitted
- Stackable up to three high
- Digital display to adjust the conveyor speed and temperature
- 3 different conveyor ovens in sizes for different demands
- Energy efficient heating system
- Energy: 400 V

### Electric Conveyor Pizza Oven

Code	Output	Dimensions	Belt Width	Cooking Chamber	Total Power	Price
CP-E 81	135 p/h (ø30)	1545 x 2005 x 755 mm	810 mm	855 x 1025 x 87 mm	27 kW	







CG-E 35

- Body made of stainless steel
- Griddle plates made of cast iron
- Temperature control 50°-300°C
- Collection tray
- On/Off-switch
- Optional: Grooved or smooth grill plates

### Contact Grill

Code	External Dimensions	Cooking Surface	Energy	Total Power	Price
CG-E 25	29 x 44 x 30 cm	25 x 25 cm	230 V	1,75 kW	
CG-E 35	41 x 50 x 30 cm	36 x 27 cm	230 V	2,5 kW	
CG-E 45	51 x 50 x 30 cm	45 x 27 cm	230 V	3 kW	



CG-S 735

- Body made of stainless steel
- Griddle plates made of cast iron
- Temperature control 50°-300°C
- Collection tray
- On/Off-switch
- Optional: Grooved or smooth grill plates

## Contact Grill

Code	External Dimensions	Cooking Surface	Energy	Total Power	Price
CG-S 530	56 x 44 x 30 cm	52 x 24 cm	230 V	3,5 kW	
CG-S 735	82 x 50 x 30 cm	2 x (36 x 27 cm)	230 V	2,5 + 2,5 kW	

---

WAFFLE IRONS  
CREPE MAKERS

---



WF-C 55

- Body made of stainless steel
- Fixed baking plate made of cast iron
- Temperature control 50°-300°C
- Fat drip channel
- On/Off-switch
- Optional: Timer



WF-C 25

Classic Waffle Iron

Code	External Dimensions	Cooking Surface	Energy	Total Power	Price
WF-C 25	29 x 44 x 32 cm	2 x (10 x 17 cm)	230 V	2,2 kW	
WF-C 55	58 x 44 x 32 cm	4 x (10 x 17 cm)	230 V	2,2 + 2,2 kW	



WF-F 60

- Body made of stainless steel
- Fixed baking plate made of cast iron
- Temperature control 50°-300°C
- Fat drip channel
- On/Off-switch
- Optional: Timer



WF-F 30

### Flower Waffle Iron

Code	External Dimensions	Cooking Surface	Energy	Total Power	Price
WF-F 30	30 x 44 x 32 cm	Ø21 x 1,5 cm	230 V	2,2 kW	
WF-F 60	60 x 44 x 32 cm	2 x (Ø21 x 1,5 cm)	230 V	2,2 + 2,2 kW	



WF-B 60


- Body made of stainless steel
- Fixed baking plate made of cast iron
- Temperature control 50°-300°C
- Fat drip channel
- On/Off-switch
- Optional: Timer




WF-B 30

### Bar Waffle Iron

Code	External Dimensions	Cooking Surface	Energy	Total Power	Price
WF-B 30	30 x 44 x 32 cm	3 x (23 x 6 x 2,4 cm)	230 V	2,2 kW	
WF-B 60	60 x 44 x 32 cm	6 x (23 x 6 x 2,4 cm)	230 V	2,2 + 2,2 kW	



CR-S 80



CR-S 40

- Body made of stainless steel
- Teflon-coated back baking plate
- Plate diameter: 40cm
- Temperature control 50°-300°C
- Fat drip channel
- On/Off-switch



CR-R 40

## Crepe Maker

Code	External Dimensions	Cooking Surface	Energy	Total Power	Price
CR-S 40	45 x 52 x 24 cm	Ø 40 cm	230 V	3 kW	
CR-S 80	90 x 52 x 24 cm	Ø 40 + 40 cm	230 V	3 + 3 kW	
CR-R 40	Ø 40 x 18 cm	Ø 40 cm	230 V	3 kW	







### Lift Salamander

Code	Dimensions	Weight	Energy	Total Power	Price
LS 5045-E	45 x 50 x 60 cm	32 kg	230 V	3,5 kW	
LS 5065-E	65 x 50 x 60 cm	45 kg	230 V	3,5 kW	

- Stainless steel body
- Adjustable thermostat
- Easy to clean



**SINGLE DOOR BOTTLE COOLER**



**CL 380**

Code	CL 380
Gross Capacity	382 lt
Useful Capacity	360 lt
Internal Dimensions (WxDxH)	490 x 447 x 1557 mm
External Dimensions (WxDxH)	595 x 650 x 2000 mm
Facing	7
Can Capacity - 330 ml by regular loading	434
Can Capacity - 330 ml by ZigZag loading	467
Bottle Capacity - 500 ml by regular loading	203
Bottle Capacity - 500 ml by ZigZag loading	217
Refrigerant	R134a/R600a
Temperature Range	0°C / +10°C
Price	

**Standard Features**

- Thermoformed inner liner
- Horizontal internal fluorescent light
- 2 Rollers and adjustable feet
- Maintenance free condenser

**Optional Features**

- Digital thermometer
- Fan switch
- Door lock
- Reversible door
- Electromagnetic lock with remote control
- Night cover
- Customized dressing

## DOUBLE DOOR BOTTLE COOLER



CL 900

Code	CL 900
Gross Capacity	852 lt
Useful Capacity	707 lt
Internal Dimensions (WxDxH)	1028 x 509 x 1351 mm
External Dimensions (WxDxH)	1103 x 690 x 2001 mm
Facing	15
Can Capacity - 330 ml by regular loading	924
Can Capacity - 330 ml by ZigZag loading	956
Bottle Capacity - 500 ml by regular loading	463
Bottle Capacity - 500 ml by ZigZag loading	551
Refrigerant	R134a/R600a
Temperature Range	0°C / +10°C
Price	

**Standard Features**

- Steel sheet inner line
- Vertical internal fluorescent light
- Self closing sliding door
- Adjustable feet
- Door handle
- 5 shelves
- Double glazed safety glass

**Optional Features**

- Digital thermometer
- Fan switch (magnetic)
- Door lock (mechanic)
- LED illumination
- Rollers
- Night cover
- Electromagnetic lock with remote control



OP-F 113

Code	OP-F-113
Gross Capacity	757 lt
Useful Capacity	757 lt
Internal Dimensions (WxDxH)	1020 x 555 x 1337 mm
External Dimensions (WxDxH)	1130 x 968 x 2120 mm
Facing	15
Can Capacity - 330 ml by regular loading	1080
Can Capacity - 330 ml by ZigZag loading	1190
Bottle Capacity - 500 ml by regular loading	540
Bottle Capacity - 500 ml by ZigZag loading	630
Refrigerant	R404a
Temperature Range	+2°C / +15°C
Price	

Standard Features

- Electronic controller
- Night curtain

Optional Features

- Price holders and strips
- Embossed aluminium inner liner
- LED illumination
- Stainless steel nish of external body
- Shelf illumination



**OP-F-M 088**

Code	OP-F-M 088
Gross Capacity	727 lt
Useful Capacity	607 lt
Internal Dimensions (WxDxH)	805 x 569 x 1326 mm
External Dimensions (WxDxH)	880 x 750 x 2147 mm
Facing	12
Can Capacity - 330 ml by regular loading	540
Can Capacity - 330 ml by ZigZag loading	621
Bottle Capacity - 500 ml by regular loading	240
Bottle Capacity - 500 ml by ZigZag loading	2765
Refrigerant	R290
Temperature Range	+2°C / +15°C
Price	

**Standard Features**

- Electronic controller
- Night curtain

**Optional Features**

- Price holders and strips
- Embossed aluminium inner liner
- LED illumination
- Stainless steel nish of external body
- Shelf illumination



**SP-C 600**

\* Dual degrees are optional

#### Standard Features

- Horizontal LED illumination
- Electronic thermostat
- Light switch
- Embossed metallic inner liner
- Adjustable feet
- Plastic body frame
- Angled curve glass

#### Optional Features

- Horizontal fluorescent illumination
- Castors (with & without brake)
- Wire separator
- Bumper
- Sticker application
- Inner LED illumination
- Dual product - both cooler & freezer

Code	SP-C 600
Gross Capacity	767 lt
Useful Capacity	580 lt
Internal Dimensions (WxDxH)	1720 x 730 x 720 mm
External Dimensions (WxDxH)	1856 x 870 x 925 mm
Temperature Range	-1°C / +2,5°C
Refrigerant	R404a / R290
Price	





**SP-C 700**

\* Dual degrees are optional

#### Standard Features

- Horizontal LED illumination
- Electronic thermostat
- Light switch
- Embossed metallic inner liner
- Adjustable feet
- Plastic body frame
- Angled curve glass

#### Optional Features

- Horizontal fluorescent illumination
- Castors (with & without brake)
- Wire separator
- Bumper
- Sticker application
- Inner LED illumination
- Dual product - both cooler & freezer

Code	SP-C 700
Gross Capacity	889 lt
Useful Capacity	675 lt
Internal Dimensions (WxDxH)	1970 x 730 x 720 mm
External Dimensions (WxDxH)	2106 x 870 x 925 mm
Temperature Range	-1°C / +2,5°C
Refrigerant	R404a / R290
Price	

———— COOKING EQUIPMENT ————



FR 6340-E



FR 6360-E

### Electric Deep Fryer

Code	Dimensions	Capacity	Weight	Energy	Total Power	Price
FR 6340-E	40 x 63 x 30 cm	8 lt	18 kg	400 V	9 kW	
FR 6360-E	60 x 63 x 30 cm	8 + 8 lt	25 kg	400 V	18 kW	

- Stainless steel body
- With drainage pipe
- Monoblock bowl
- Safety thermostat
- 100° C - 180° C adjustable thermostat
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench



### Gas Deep Fryer

Code	Dimensions	Capacity	Weight	N. Gas Expenditure	Pressure	Total Power	Price
FR 6340-G	40 x 63 x 30 cm	8 lt	21 kg	0,73 m <sup>3</sup>	20 mbar	7 kW	
FR 6360-G	60 x 63 x 30 cm	8 + 8 lt	34 kg	1,46 m <sup>3</sup>	20 mbar	14 kW	


- Stainless steel body
- Safety gas thermostat 100°C-180°C
- Piezoelectric ignition and pilot flame
- Available for LPG and Natural Gas
- Monoblock bowl
- With drainage pipe
- Adjustable legs
- Long lasting
- Using over bench and with cupboard



**Electric Cooker**

Code	Dimensions	Description	Weight	Energy	Total Power	Price
C 6340-E	40 x 63 x 30 cm	2 hot plates	14 kg	230 V	4 kW	
C 6360-E	60 x 63 x 30 cm	4 hot plates	28 kg	400 V	7,5 kW	

- Stainless steel body
- 20 cm diameter heaters
- Adjustable control system
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench





C 6340-G



C 6360-G

### Gas Cooker

Code	Dimensions	Description	N. Gas Expenditure	Pressure	Total Power	Price
C 6340-G	40 x 63 x 30 cm	2 burners	1,04 m <sup>3</sup>	20 mbar	11 kW	
C 6360-G	60 x 63 x 30 cm	4 burners	2,08 m <sup>3</sup>	20 mbar	22 kW	

- Stainless steel body
- Valves able to control max. and min.
- Heavy duty top cast iron
- Available LPG or Natural Gas
- Adjustable legs
- Easy to clean
- Using over bench



GP 6380-E

## Electric Plate Grill

Code	Dimensions	Energy	Total Power	Smooth	Smooth+Grooved	Grooved
				Price	Price	Price
GP 6340-E	40 x 63 x 30 cm	400 V	4,5 kW			
GP 6360-E	60 x 63 x 30 cm	400 V	9 kW			
GP 6380-E	80 x 63 x 30 cm	400 V	9 kW			

- Stainless steel body
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Thermostat adjustment from 50-300°C
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean
- Using over bench

ELECTRIC PLATE GRILL - CHROME

**600 SERIES**



**Electric Plate Grill - CHROME**

Smooth      Smooth+Grooved      Grooved

Code	Dimensions	Energy	Total Power	Price	Price	Price
GP-C 6340-E	40 x 63 x 30 cm	400 V	4,5 kW			
GP-C 6360-E	60 x 63 x 30 cm	400 V	9 kW			
GP-C 6380-E	80 x 63 x 30 cm	400 V	9 kW			

- Stainless steel body
- Chrome cooking surface
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Cooking zone is controlled by 2 different thermostat separately
- Thermostat adjustment from 50-300°C
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean
- Using over bench





GP 6380-G

**Gas Plate Grill**

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Smooth	Smooth + Grooved	Grooved
					Price	Price	Price
GP 6340-G	40 x 63 x 30 cm	0,52 m <sup>3</sup>	20 mbar	5 kW			
GP 6360-G	60 x 63 x 30 cm	1,04 m <sup>3</sup>	20 mbar	10 kW			
GP 6380-G	80 x 63 x 30 cm	1,04 m <sup>3</sup>	20 mbar	10 kW			

- Stainless steel body
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Cooking zone is controlled by 2 different valves separately
- Piezoelectric ignition, pilot flame
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean
- Using over bench



### Gas Plate Grill - CHROME

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Smooth	+	Grooved
					Price	Grooved	Price
GP-C 6340-G	40 x 63 x 30 cm	0,52 m <sup>3</sup>	20 mbar	5 kW			
GP-C 6360-G	60 x 63 x 30 cm	1,04 m <sup>3</sup>	20 mbar	10 kW			
GP-C 6380-G	80 x 63 x 30 cm	1,04 m <sup>3</sup>	20 mbar	10 kW			

- Stainless steel body
- Chrome cooking surface
- Available LPG or Natural Gas
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Cooking zone is controlled by 2 different valves separately
- Piezoelectric ignition, pilot flame
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean
- Using over bench



PC 6340-E

### Electric Pasta Cooker

Code	Dimensions	Capacity	Weight	Energy	Total Power	Price
PC 6340-E	40 x 63 x 30 cm	8 lt	19 kg	400 V	6 kW	

- Stainless steel body
- With drainage pipe
- Monoblock bowl
- Safety thermostat
- 30-120°C Adjustable thermostat
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench



CS 6340-E


### Chip Scuttle

Code	Dimensions	Weight	Energy	Total Power	Price
CS 6340-E	40 x 63 x 30 cm	16 kg	230 V	0,75 kW	

- Stainless steel body
- Adjustable legs
- Long lasting
- Using over bench



SBM 6340-E



### Sauce Bain-Marie

Code	Dimensions	Capacity	Weight	Energy	Total Power	Price
SBM 6340-E	40 x 63 x 30 cm	GN1/2-150 - GN 1/3-150	17 kg	230 V	2,5 kW	

- Stainless steel body
- Reservoir available gastronom pans
- Temperature adjustment from 30°C to 120°C
- Monoblock bowl
- Drainage pipe
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench



LG 6380-G

### Gas Lavastone Grill

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Price
LG 6340-G	40 x 63 x 30 cm	0,52 m <sup>3</sup>	20 mbar	5 kW	
LG 6380-G	80 x 63 x 30 cm	1,04 m <sup>3</sup>	20 mbar	10 kW	

- Stainless steel body
- Available LPG or Natural Gas
- Safety gas valve with thermocouple
- Pilot flame
- Fat collecting drawer
- Adjustable legs
- Easy to clean
- Using over bench



R 6360-G

## Gas Range

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Price
R 6360-G	60 x 63 x 85 cm	2,54 m <sup>3</sup>	20 mbar	24 kW	

- Stainless steel body
- Safety gas valve with thermocouple
- Fire inspect system
- Heavy duty top cast iron
- Available LPG or Natural Gas
- Piezoelectric ignition and pilot flame
- Oven thermostat adjustment between 100°C to 300°C
- Oven size is 30x45
- Isolated oven
- Removable wire tray size GN 1/1
- Adjustable legs
- Easy to clean



### Neutral Bench

Code	Dimensions	Weight	Energy	Total Power	Price
NB 6340	40 x 63 x 30 cm	10 kg	-	-	
NB 6360	60 x 63 x 30 cm	14 kg	-	-	
NB 6380	80 x 63 x 30 cm	20 kg	-	-	

- Stainless steel body
- Long lasting





### Base Cupboard

Code	Dimensions	Weight	Energy	Total Power	Price
BC 6340	40 x 63 x 55 cm	15 kg	-	-	
BC 6360	60 x 63 x 55 cm	19 kg	-	-	
BC 6380	80 x 63 x 55 cm	24 kg	-	-	

- Stainless steel body
- Long lasting
- Adjustable legs



**Electric Deep Fryer**

Code	Dimensions	Capacity	Weight	Energy	Total Power	Price
FR 7040-E	40 x 70 x 30 cm	12 lt	21 kg	400 V	9 kW	
FR 7080-E	80 x 70 x 30 cm	12 + 12 lt	39 kg	400 V	18 kW	

- Stainless steel body
- With drainage pipe
- Monoblock bowl
- Safety thermostat
- 100 °C - 180 °C adjustable thermostat
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench or with cupboard



**Gas Deep Fryer**

Code	Dimensions	Capacity	Weight	N. Gas Expenditure	Pressure	Total Power	Price
FR 7040-G	40 x 70 x 85 cm	15 lt	42 kg	0,74 m <sup>3</sup>	20 mbar	7 kW	
FR 7080-G	80 x 70 x 85 cm	15 + 15 lt	68 kg	1,48 m <sup>3</sup>	20 mbar	14 kW	

- Stainless steel body
- Safety gas thermostat 100°C-180°C
- Piezoelectric ignition and pilot flame
- Available for LPG and Natural Gas
- Monoblock bowl
- With drainage pipe
- Adjustable legs
- Long lasting



### Electric Cooker

Code	Dimensions	Description	Weight	Energy	Total Power	Price
C 7040-E	40 x 70 x 30 cm	2 hot plates	15 kg	400 V	4,6 kW	
C 7080-E	80 x 70 x 30 cm	4 hot plates	32 kg	400 V	9,2 kW	
C 7012-E	120 x 70 x 30 cm	6 hot plates	60 kg	400 V	13,8 kW	

- Stainless steel body
- 20-23 cm diameter of heaters
- Adjustable control system
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench or with cupboard



### Gas Cooker

Code	Dimensions	Description	N. Gas Expenditure	Pressure	Total Power	Price
C 7040-G	40 x 70 x 30 cm	2 burners	1,05 m <sup>3</sup>	20 mbar	10 kW	
C 7080-G	80 x 70 x 30 cm	4 burners	2,11 m <sup>3</sup>	20 mbar	20 kW	
C 7012-G	120 x 70 x 30 cm	6 burners	3,17 m <sup>3</sup>	20 mbar	30 kW	

- Stainless steel body
- Valves able to control max. and min.
- Heavy duty top cast iron
- Available LPG or Natural Gas
- Adjustable legs
- Easy to clean
- Using over bench



**Electric Plate Grill**

Smooth      Smooth+Grooved      Grooved

Code	Dimensions	Energy	Total Power	Price	Price	Price
GP 7040-E	40 x 70 x 30 cm	400 V	4,5 kW			
GP 7080-E	80 x 70 x 30 cm	400 V	9 kW			

- Stainless steel body
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Thermostat adjustment from 50-300°C
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean
- Using over bench



**Electric Plate Grill - CHROME**

Smooth      Smooth+Grooved      Grooved

Code	Dimensions	Energy	Total Power	Price	Price	Price
GP-C 7040-E	40 x 70 x 30 cm	400 V	4,5 kW			
GP-C 7080-E	80 x 70 x 30 cm	400 V	9 kW			

- Stainless steel body
- Chrome cooking surface
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Cooking zone is controlled by 2 different thermostat separately
- Thermostat adjustment from 50-300°C
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean
- Using over bench



### Gas Plate Grill

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Smooth	Smooth + Grooved	Grooved
					Price	Price	Price
GP 7040-G	40 x 70 x 30 cm	0,73 m <sup>3</sup>	20 mbar				
GP 7080-G	80 x 70 x 30 cm	1,46 m <sup>3</sup>	20 mbar				

- Stainless steel body
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Cooking zone is controlled by 2 different valves separately
- Piezoelectric ignition, pilot flame
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean
- Using over bench





Gas Plate Grill - CHROME

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Smooth	+	Grooved	Grooved
					Price	Grooved	Price	Price
GP-C 7040-G	40 x 70 x 30 cm	0,73 m <sup>3</sup>	20 mbar	7 kW				
GP-C 7080-G	80 x 70 x 30 cm	1,46 m <sup>3</sup>	20 mbar	14 kW				

- Stainless steel body
- Chrome cooking surface
- Available LPG or Natural Gas
- Cooking plate "SMOOTH", "SMOOTH + GROOVED" and "GROOVED"
- Cooking zone is controlled by 2 different valves separately
- Piezoelectric ignition, pilot flame
- Adjustable legs
- Equal temperature distribution on the cooking surface
- Fat collecting drawer
- Easy to clean
- Using over bench



### Electric Pasta Cooker

Code	Dimensions	Capacity	Weight	Energy	Total Power	Price
PC 7040-E	40 x 70 x 30 cm	12 lt	22 kg	400 V	6 kW	

- Stainless steel body
- With drainage pipe
- Monoblock bowl
- Safety thermostat
- 30-120°C Adjustable thermostat
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench



**Gas Pasta Cooker**

Code	Dimensions	Capacity	N. Gas Expenditure	Pressure	Total Power	Price
PC 7040-G	40 x 70 x 85 cm	26 lt	0,89 m <sup>3</sup>	20 mbar	8,5 kW	

- Stainless steel body
- With drainage pipe
- Monoblock bowl
- Safety thermostat
- 30-120°C Adjustable thermostat
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench



### Chip Scuttle

Code	Dimensions	Weight	Energy	Total Power	Price
CS 7040-E	40 x 70 x 30 cm	17 kg	230 V	0,75 kW	

- Stainless steel body
- Adjustable legs
- Long lasting
- Using over bench



## Sauce Bain-Marie

Code	Dimensions	Capacity	Weight	Energy	Total Power	Price
SBM 7040-E	40 x 70 x 30 cm	GN1/2-150 - GN 1/3-150	16 kg	230 V	2,5 kW	
SBM 7080-E	80 x 70 x 30 cm	GN1/2-150 - GN 1/3-150	31 kg	230 V	3,5 kW	

- Stainless steel body
- Reservoir available gastronorm pans
- Temperature adjustment from 30°C to 120°C
- Monoblock bowl
- Drainage pipe
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench



### Electric Pipe Grill

Code	Dimensions	Weight	Energy	Total Power	Price
PG 7050-E	50 x 70 x 30 cm	30 kg	230 V	4 kW	
PG 7080-E	80 x 70 x 30 cm	47 kg	400 V	6,5 kW	
PG 7012-E	120 x 70 x 30 cm	96 kg	400 V	9,5 kW	

- Stainless steel body
- Special heating system
- Moving heat system provides easy cleaning
- Steam function
- Temperature adjust with thermostatic special system
- Drainage pipe
- Adjustable legs
- Available use over bench or with cupboard



### Gas Cast Iron Grill

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Price
CIG 7540-G	40 x 75 x 35 cm	0,84 m <sup>3</sup>	20 mbar	8 kW	
CIG 7580-G	80 x 75 x 35 cm	1,69 m <sup>3</sup>	20 mbar	16 kW	
CIG 7512-G	120 x 75 x 35 cm	2,54 m <sup>3</sup>	20 mbar	24 kW	

- Stainless steel body
- Safety gas valve with thermocouple
- Pilot flame
- Available LPG or Natural Gas
- Water drawers
- Cast iron surface
- Fat collecting drawer
- Adjustable legs
- Easy to clean
- Available use over bench or with cupboard



### Gas Lavastone Grill

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Price
LG 7040-G	40 x 70 x 30 cm	0,73 m <sup>3</sup>	20 mbar	7 kW	
LG 7080-G	80 x 70 x 30 cm	1,46 m <sup>3</sup>	20 mbar	14 kW	

- Stainless steel body
- Available LPG or Natural Gas
- Safety gas valve with thermocouple
- Pilot flame
- Fat collecting drawer
- Adjustable legs
- Easy to clean
- Using over bench





**WOK Stove**

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Price
WS 7040-G	40 x 70 x 30 cm	1,87 m <sup>3</sup>	20 mbar	18 kW	
WS 7080-G	80 x 70 x 30 cm	3,74 m <sup>3</sup>	20 mbar	36 kW	
WS 7012-G	120 x 70 x 30 cm	5,61 m <sup>3</sup>	20 mbar	54 kW	

- Stainless steel body
- High power cast iron
- Fire inspection system
- Pilot flame
- Available LPG or Natural Gas
- Easy to clean
- Available use over bench or cupboard



**Electric Tilting Bratt Pan**

Code	Dimensions	Capacity	Energy	Total Power	Price
TBP 7080-E	80 x 70 x 85 cm	50 lt	400 V	12 kW	

- Body, panelling and pan made of stainless steel
- The tilting mechanism is manual operated
- Safety switches activates, when the tilting starts
- Safety thermostat
- Water fill pipe controlled from front panel
- Thermostat temperature control
- Filling with faucet on top of device easily
- Easy to wash and clean



### Gas Tilting Bratt Pan

Code	Dimensions	Capacity	N. Gas Expenditure	Pressure	Total Power	Price
TBP 7080-G	80 x 70 x 85 cm	50 lt	2,11 m <sup>3</sup>	20 mbar	18 kW	

- Body, panelling and pan made of stainless steel
- The tilting mechanism is manuel operated
- Safety switches activates, when the tilting starts
- Stainless steel burner with ignition, pilot thermocouple and thermostat
- If the flame goes out, gas are cutted off
- Operable with LPG and Natural Gas
- Safety thermostat
- Water fill pipe controlled from front panel
- Thermostat temperature control
- Filling with faucet on top of device easily
- Easy to wash and clean



**Electric Boiling Pan - INDIRECT**

Code	Dimensions	Capacity	Energy	Total Power	Price
BP 7080-E	80 x 70 x 85 cm	80 lt	400 V	18 kW	

- Stainless steel body
- Counterweighted folding lid
- Which contains ignition and stop button together with pilot thermocouple
- Cold and hot water filling cock
- Drainage cock



**Gas Boiling Pan - INDIRECT**

Code	Dimensions	Capacity	N. Gas Expenditure	Pressure	Total Power	Price
BP 7080-G	80 x 70 x 85 cm	80 lt	2,11 m <sup>3</sup>	20 mbar	20 kW	

- Stainless steel body
- Counterweighted folding lid
- Burner with complete magnet security valve
- Which contains ignition and stop button together with pilot thermocouple
- Cold and hot water filling cock
- Drainage cock



**Electric Range**

Code	Dimensions	Weight	Energy	Total Power	Price
R 7080-E	80 x 70 x 85 cm	118 kg	400 V	15,4 kW	
R 7012-E	120 x 70 x 85 cm	140 kg	400 V	20,6 kW	

- Stainless steel body
- 23 cm diameter heaters
- Adjustable control system
- Oven size is GN 1/1
- Oven thermostat adjustment between 50°C to 300°C
- Oven heaters work separately or together
- Isolated oven
- Removable wire tray size GN 1/1
- Adjustable legs



## Gas Range

Code	Dimensions	N. Gas Expenditure	Pressure	Total Power	Price
R 7080-G	80 x 70 x 85 cm	2,042 m <sup>3</sup>	20 mbar	25,9 kW	
R 7012-G	120 x 70 x 85 cm	2,831 m <sup>3</sup>	20 mbar	35,9 kW	

- Stainless steel body
- Safety gas valve with thermocouple
- Fire inspect system
- Heavy duty top cast iron
- Available LPG or Natural Gas
- Piezoelectric ignition and pilot flame
- Oven thermostat adjustment between 100°C to 300°C
- Oven size is GN 2/1
- Isolated oven
- Removable wire tray size GN 2/1
- Adjustable legs
- Easy to clean



### Electric Cooker with Square Hot Plate

Code	Dimensions	Description	Weight	Energy	Total Power	Price
C-S 7040-E	40 x 70 x 30 cm	2 hot plates	15 kg	400 V	5,2 kW	
C-S 7080-E	80 x 70 x 30 cm	4 hot plates	32 kg	400 V	10,4 kW	
C-S 7012-E	120 x 70 x 30 cm	6 hot plates	60 kg	400 V	15,6 kW	

- Stainless steel body
- 22x22 cm diameter of heaters
- Adjustable control system
- Easy to clean
- Adjustable legs
- Long lasting
- Using over bench or with cupboard





**Solid Top Electric Range**

Code	Dimensions	Description	Weight	Energy	Total Power	Price
R-ST 7080-E	80 x 70 x 85 cm	Solid Top with oven	118 kg	400 V	17 kW	
C-ST 7080-E	80 x 70 x 85 cm	Solid Top	107 kg	400 V	12 kW	

- Stainless steel body
- Type of cooking plate 15mm ST52
- Cooking surface able to control by 4 independent zones
- Oven size is GN 1/1
- Oven thermostat adjustment between 50°C to 300°C
- Oven heaters work seperately or together
- Isolated oven
- Removable wire tray size GN 1/1
- Adjustable legs



### Solid Top Gas Range

Code	Dimensions	Description	N. Gas Expenditure	Pressure	Total Power	Price
R-ST 7080-G	80 x 70 x 85 cm	Solid Top with oven	1,09 m <sup>3</sup>	20 mbar	10,5 kW	
C-ST 7080-G	80 x 70 x 85 cm	Solid Top	0,57 m <sup>3</sup>	20 mbar	5,5 kW	

- Stainless steel body
- 3 pieces heavy duty cast iron
- Safety gas valve with thermocouple
- Fire inspect system
- Heavy duty top cast iron
- Available LPG or Natural Gas
- Piezoelectric ignition and pilot flame
- Oven thermostat adjustment between 100°C to 300°C
- Oven size is GN 2/1
- Isolated oven
- Removable wire tray size GN 2/1
- Adjustable legs



### Neutral Bench

Code	Dimensions	Weight	Energy	Total Power	Price
NB 7040	40 x 70 x 30 cm	10 kg	-	-	
NB 7080	80 x 70 x 30 cm	20 kg	-	-	
NB 7012	120 x 70 x 30 cm	30 kg	-	-	

- Stainless steel body
- Long lasting



**Base Cupboard**

Code	Dimensions	Weight	Energy	Total Power	Price
BC 7040	40 x 70 x 55 cm	16 kg	-	-	
BC 7080	80 x 70 x 55 cm	22 kg	-	-	
BC 7012	120 x 70 x 55 cm	30 kg	-	-	

- Stainless steel body
- Long lasting
- Adjustable legs






## Undercounter Dishwasher

Code	Capacity	Dimensions	Basket Size	Energy	Total Power	Price
AF-D 500	500 dishes/h	59 x 67 x 82 cm	50 x 50 x 10 cm	230 V	6,65 kW	


- Capacity: 500 dishes/h
  - 18/10 AISI 304 stainless steel construction
  - 9 type washing programs
  - Boiler and tank temperature display
  - High quality stainless steel heaters
  - User-friendly command interface
  - Double walled door
  - Rotating upper and lower washing arms
  - Cycle start at door closing
  - Automatic tank loading
  - Safety thermostat
  - Magnetic door switch
  - Not simultaneously activated heating system provides energy saving
  - Fault detection with fault codes from the display panel
  - Height adjustable feet
- 
- Drain, detergent and rinse aid pump can be connected to chasis (optional)




*Drain Pump*



*Detergent Pump*



*Rinse Aid Pump*



**UNDERCOUNTER DISHWASHER**



**TECHNICAL SPECIFICATIONS**

- Power input : 230V/1/N ~ 50Hz
- Water input : 3/4"
- Power supply : Electric
- Command type : Digital
- Washing cycle : 60-90-120-150-180-210-240-270-300 sec
- Washing capacity : 30 basket/h
- Washing clearance : 310 mm
- Washing tank capacity : 27 lt
- Boiler tank capacity : 6,1 lt
- Washing temperature : 60-65 °C
- Rinsing temperature : 80-85 °C
- Rinsing water consumption : 0,8 lt
- Internal cabinet height (mm) : 360 mm
- Dynamic water input pressure : 2-6 bar
- External dimensions (WxDxH) : 59 x 67 x 82 cm
- Washing pump power : 0,65 kW
- Tank heater power : 2 kW
- Boiler heater power : 4 kW
- Basket dimensions : 50 x 50 x 10 cm
- Total power : 6,65 kW
- Voltage : 230V/1/N ~ 50Hz




## Hood Type Dishwasher

Code	Capacity	Dimensions	Basket Size	Energy	Total Power	Price
AF-D 1000	1000 dishes/h	66 x 81 x 139/180 cm	50 x 50 x 10 cm	380 V	9,65 kW	


- Capacity: 1000 dishes/h
  - 18/10 AISI 304 stainless steel construction
  - 9 type washing programs
  - Boiler and tank temperature display
  - Fault detection with fault codes from the display panel
  - High quality stainless steel heaters
  - Rotating upper and lower washing arms
  - Cycle start at door closing
  - Automatic tank loading
  - Safety thermostat
  - User-friendly command interface
  - Height adjustable feet
  - Integral tank filter
- Drain, detergent and rinse aid pump can be connected to chasis (optional)




*Drain Pump*



*Detergent Pump*



*Rinse Aid Pump*







## TECHNICAL SPECIFICATIONS

- Power input : 380V/1/N ~ 50Hz
- Water input : 3/4"
- Power supply : Electric
- Command type : Digital
- Washing cycle : 60-90-120-150-180-210-240-270-300 sec
- Washing capacity : 60 basket/h
- Washing clearance : 380 mm
- Washing tank capacity : 45 lt
- Boiler tank capacity : 8,6 lt
- Washing temperature : 60-65 °C
- Rinsing temperature : 80-85 °C
- Rinsing water consumption : 0,9 lt
- Internal cabinet height (mm) : 430 mm
- Dynamic water input pressure : 2-6 bar
- External dimensions (WxDxH) : 66 x 81 x 139/180 cm
- Washing pump power : 0,65 kW
- Tank heater power : 3 kW
- Boiler heater power : 6 kW
- Basket dimensions : 50 x 50 x 10 cm
- Total power : 9,65 kW
- Voltage : 380V/1/N ~ 50Hz






## Undercounter Glasswasher

Code	Capacity	Dimensions	Basket Size	Energy	Total Power	Price
AF-G 500	500 glasses/h	44 x 50 x 68 cm	35 x 35 x 15 cm	230 V	6,65 kW	


- Capacity: 500 glasses/h
  - 18/10 AISI 304 stainless steel construction
  - 9 type washing programs
  - Boiler and tank temperature display
  - High quality stainless steel heaters
  - User-friendly command interface
  - Double walled door
  - Rotating upper and lower washing arms
  - Cycle start at door closing
  - Automatic tank loading
  - Safety thermostat
  - Magnetic door switch
  - Not simultaneously activated heating system provides energy saving
  - Fault detection with fault codes from the display panel
  - Rinse aid pump included
  - Height adjustable feet
- 
- Drain, detergent pump can be connected to chasis (optional)




*Drain Pump*



*Detergent Pump*



*Rinse Aid Pump*



**UNDERCOUNTER GLASSWASHER**





**TECHNICAL SPECIFICATIONS**

- Power input : 230V/1/N ~ 50Hz
- Water input : 3/4"
- Power supply : Electric
- Command type : Digital
- Washing cycle : 60-90-120-150-180-210-240-270-300 sec
- Washing capacity : 30 basket/h
- Washing clearance : 170 mm
- Washing tank capacity : 17 lt
- Boiler tank capacity : 3,6 lt
- Washing temperature : 60-65 °C
- Rinsing temperature : 70-80 °C
- Rinsing water consumption : 0,6 lt
- Internal cabinet height (mm) : 160 mm
- Dynamic water input pressure : 2-6 bar
- External dimensions (WxDxH) : 44 x 50 x 68 cm
- Washing pump power : 0,26 kW
- Tank heater power : 1 kW
- Boiler heater power : 2 kW
- Basket dimensions : 35 x 35 x 15 cm
- Total power : 3,3 kW
- Voltage : 230V/1/N ~ 50Hz





Standard



Code	Dimensions	Filters			Price
CEHC 2020	200 x 200 x 50 cm	6	✓	✓	
CEHC 2520	250 x 200 x 50 cm	8	✓	✓	
CEHC 3020	300 x 200 x 50 cm	10	✓	✓	
CEHC 3520	350 x 200 x 50 cm	12	✓	✓	
CEHC 4020	400 x 200 x 50 cm	14	✓	✓	

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Welded construction
- 100% no leaks
- Energy efficient LED lighting
- Fat drain valve
- Labyrinth filters: 500 x 500 mm
- Optional: Fully AISI 304






Double-Walled



Code	Dimensions	Filters			Price
CEHC-D 2020	200 x 200 x 50 cm	6	✓	✓	
CEHC-D 2520	250 x 200 x 50 cm	8	✓	✓	
CEHC-D 3020	300 x 200 x 50 cm	10	✓	✓	
CEHC-D 3520	350 x 200 x 50 cm	12	✓	✓	
CEHC-D 4020	400 x 200 x 50 cm	14	✓	✓	

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Welded construction
- 100% no leaks
- Energy efficient LED lighting
- Fat drain valve
- Labyrinth filters: 500 x 500 mm
- Optional: Fully AISI 304





Standard

Code	Dimensions	Filters			Price
EHW 1010	100 x 100 x 40 cm	1	✓	✓	
EHW 1210	120 x 100 x 40 cm	2	✓	✓	
EHW 1410	140 x 100 x 40 cm	2	✓	✓	
EHW 1610	160 x 100 x 40 cm	2	✓	✓	
EHW 1810	180 x 100 x 40 cm	3	✓	✓	
EHW 2010	200 x 100 x 40 cm	3	✓	✓	
EHW 2210	220 x 100 x 40 cm	3	✓	✓	
EHW 2410	240 x 100 x 40 cm	4	✓	✓	
EHW 2510	250 x 100 x 40 cm	4	✓	✓	

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Welded construction
- 100% no leaks
- Energy efficient LED lighting
- Fat drain valve
- Labyrinth filters: 500 x 500 mm



- Optional: Fully AISI 304
- Optional: Can be produced in different sizes



**Cubic**

Code	Dimensions	Filters			Price
EHC 1010	100 x 100 x 40 cm	1	✓	✓	
EHC 1210	120 x 100 x 40 cm	2	✓	✓	
EHC 1410	140 x 100 x 40 cm	2	✓	✓	
EHC 1610	160 x 100 x 40 cm	2	✓	✓	
EHC 1810	180 x 100 x 40 cm	3	✓	✓	
EHC 2010	200 x 100 x 40 cm	3	✓	✓	
EHC 2210	220 x 100 x 40 cm	3	✓	✓	
EHC 2410	240 x 100 x 40 cm	4	✓	✓	
EHC 2510	250 x 100 x 40 cm	4	✓	✓	

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Welded construction
- 100% no leaks
- Energy efficient LED lighting
- Fat drain valve
- Labyrinth filters: 500 x 500 mm



- Optional: Fully AISI 304
- Optional: Can be produced in different sizes







### Double-Walled

Code	Dimensions	Filters			Price
EHC-D 2013	200 x 130 x 50 cm	3	✓	✓	
EHC-D 2513	250 x 130 x 50 cm	4	✓	✓	
EHC-D 3013	300 x 130 x 50 cm	5	✓	✓	
EHC-D 3513	350 x 130 x 50 cm	6	✓	✓	
EHC-D 4013	400 x 130 x 50 cm	7	✓	✓	

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Welded construction
- 100% no leaks
- Energy efficient LED lighting
- Fat drain valve
- Labyrinth filters: 500 x 500 mm



- Optional: Fully AISI 304
- Optional: Can be produced in different sizes

STAINLESS STEEL  
FURNITURE



## Work Table

### 600 Line

Code	Dimensions	Price
WT-0860	80 x 60 x 90 cm	
WT-1060	100 x 60 x 90 cm	
WT-1260	120 x 60 x 90 cm	
WT-1460	140 x 60 x 90 cm	
WT-1560	150 x 60 x 90 cm	
WT-1660	160 x 60 x 90 cm	
WT-1860	180 x 60 x 90 cm	
WT-2060	200 x 60 x 90 cm	

### 700 Line

Code	Dimensions	Price
WT-0870	80 x 70 x 90 cm	
WT-1070	100 x 70 x 90 cm	
WT-1270	120 x 70 x 90 cm	
WT-1470	140 x 70 x 90 cm	
WT-1570	150 x 70 x 90 cm	
WT-1670	160 x 70 x 90 cm	
WT-1870	180 x 70 x 90 cm	
WT-2070	200 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Stainless steel bottom shelf
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing
- Self Assembly

#### Optional Features

- Optional: Polyethylene work top
- Optional: Height-adjustable intermediate shelf
- Optional: Backsplash
- Optional: Fully AISI 304



## Corner Work Table

### 600 Line

Code	Dimensions	Price
WT-K-1060	100 x 100 x 60 x 90 cm	

### 700 Line

Code	Dimensions	Price
WT-K-1070	100 x 100 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Self Assembly
- Stainless steel bottom shelf
- Adjustable height
- Legs stainless steel tube 40 x 40 mm
- Worktop with waterproof undergluing

#### Optional Features

- Optional: Polyethylene work top
- Optional: Backsplash
- Optional: Fully AISI 304



## Cupboard

### 600 Line

Code	Dimensions	Price
WTC-1060	100 x 60 x 90 cm	
WTC-1260	120 x 60 x 90 cm	
WTC-1460	140 x 60 x 90 cm	
WTC-1560	150 x 60 x 90 cm	
WTC-1660	160 x 60 x 90 cm	
WTC-1860	180 x 60 x 90 cm	
WTC-2060	200 x 60 x 90 cm	

### 700 Line

Code	Dimensions	Price
WTC-1070	100 x 70 x 90 cm	
WTC-1270	120 x 70 x 90 cm	
WTC-1470	140 x 70 x 90 cm	
WTC-1570	150 x 70 x 90 cm	
WTC-1670	160 x 70 x 90 cm	
WTC-1870	180 x 70 x 90 cm	
WTC-2070	200 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Height-adjustable intermediate shelf inside of doors
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing

#### Optional Features

- Optional: Open front
- Optional: Polyethylene work top
- Optional: Backsplash
- Optional: Fully AISI 304



## Corner Cupboard

### 600 Line

Code	Dimensions	Price
WTC-K-1060	100 x 100 x 60 x 90 cm	

### 700 Line

Code	Dimensions	Price
WTC-K-1070	100 x 100 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing

#### Optional Features

- Optional: Polyethylene work top
- Optional: Backsplash
- Optional: Fully AISI 304

CUPBOARD with DOORS and DRAWERS



Cupboard with Doors and Drawers

600 Line

Code	Dimensions	Price
WTC-D-1460	140 x 60 x 90 cm	
WTC-D-1560	150 x 60 x 90 cm	
WTC-D-1660	160 x 60 x 90 cm	
WTC-D-1860	180 x 60 x 90 cm	
WTC-D-2060	200 x 60 x 90 cm	

700 Line

Code	Dimensions	Price
WTC-D-1470	140 x 70 x 90 cm	
WTC-D-1570	150 x 70 x 90 cm	
WTC-D-1670	160 x 70 x 90 cm	
WTC-D-1870	180 x 70 x 90 cm	
WTC-D-2070	200 x 70 x 90 cm	

Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Height-adjustable intermediate shelf inside of doors
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing

Optional Features

- Optional: Polyethylene work top
- Optional: Backsplash
- Optional: Fully AISI 304

CUPBOARD with DOORS, DRAWERS and CONTAINER



Cupboard with Doors, Drawers and Container

600 Line

Code	Dimensions	Price
WTC-DC-1460	140 x 60 x 90 cm	
WTC-DC-1660	160 x 60 x 90 cm	
WTC-DC-1860	180 x 60 x 90 cm	
WTC-DC-2060	200 x 60 x 90 cm	

700 Line

Code	Dimensions	Price
WTC-DC-1470	140 x 70 x 90 cm	
WTC-DC-1670	160 x 70 x 90 cm	
WTC-DC-1870	180 x 70 x 90 cm	
WTC-DC-2070	200 x 70 x 90 cm	

Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Height-adjustable intermediate shelf inside of doors
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing

Optional Features

- Optional: Polyethylene work top
- Optional: Backsplash
- Optional: Fully AISI 304





## Cupboard with Containers

### 600 Line

Code	Dimensions	Price
WT-C-0460	40 x 60 x 90 cm	
WT-C-0560	50 x 60 x 90 cm	
WT-2C-0860	80 x 60 x 90 cm	
WT-2C-1060	100 x 60 x 90 cm	

### 700 Line

Code	Dimensions	Price
WT-C-0470	40 x 70 x 90 cm	
WT-C-0570	50 x 70 x 90 cm	
WT-2C-0870	80 x 70 x 90 cm	
WT-2C-1070	100 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing

#### Optional Features

- Optional: Polyethylene work top
- Optional: Backsplash
- Optional: Fully AISI 304



### Cupboard with Drawers

#### 600 Line

Code	Dimensions	Price
WT-2D-0460	40 x 60 x 90 cm	
WT-2D-0560	50 x 60 x 90 cm	
WT-2D-0660	60 x 60 x 90 cm	
WT-3D-0460	40 x 60 x 90 cm	
WT-3D-0560	50 x 60 x 90 cm	
WT-3D-0660	60 x 60 x 90 cm	
WT-4D-0860	80 x 60 x 90 cm	
WT-4D-1060	100 x 60 x 90 cm	
WT-6D-0860	80 x 60 x 90 cm	
WT-6D-1060	100 x 60 x 90 cm	

#### 700 Line

Code	Dimensions	Price
WT-2D-0470	40 x 70 x 90 cm	
WT-2D-0570	50 x 70 x 90 cm	
WT-2D-0670	60 x 70 x 90 cm	
WT-3D-0470	40 x 70 x 90 cm	
WT-3D-0570	50 x 70 x 90 cm	
WT-3D-0670	60 x 70 x 90 cm	
WT-4D-0870	80 x 70 x 90 cm	
WT-4D-1070	100 x 70 x 90 cm	
WT-6D-0870	80 x 70 x 90 cm	
WT-6D-1070	100 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Stainless steel legs adjustable in height
- Worktop with waterproof underguing

#### Optional Features

- Optional: Polyethylene work top
- Optional: Backsplash
- Optional: Fully AISI 304



### Work Table with Sink

#### 600 Line

Code	Dimensions	Price
WT-S-0660-B	60 x 60 x 90 cm	
WT-S-0760-B	70 x 60 x 90 cm	
WT-S-1060-B	100 x 60 x 90 cm	
WT-S-1260-B	120 x 60 x 90 cm	
WT-S-1460-B	140 x 60 x 90 cm	

#### 700 Line

Code	Dimensions	Price
WT-S-0670-B	60 x 70 x 90 cm	
WT-S-0770-B	70 x 70 x 90 cm	
WT-S-1070-B	100 x 70 x 90 cm	
WT-S-1270-B	120 x 70 x 90 cm	
WT-S-1470-B	140 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Sink top ss 304
- Stainless steel bottom shelf
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing
- With backsplash

#### Optional Features

- Optional: Fully AISI 304
- Optional: Right or left drip tray



### Work Table with Double Sink

#### 600 Line

Code	Dimensions	Price
WT-2S-1460-B	140 x 60 x 90 cm	
WT-2S-1660-B	160 x 60 x 90 cm	
WT-2S-1860-B	180 x 60 x 90 cm	
WT-2S-2060-B	200 x 60 x 90 cm	

#### 700 Line

Code	Dimensions	Price
WT-S2-1470-B	140 x 70 x 90 cm	
WT-2S-1670-B	160 x 70 x 90 cm	
WT-2S-1870-B	180 x 70 x 90 cm	
WT-2S-2070-B	200 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Sink top ss 304
- Stainless steel bottom shelf
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing
- With backsplash

#### Optional Features

- Optional: Fully AISI 304
- Optional: Right or left drip tray



## Cupboard with Sink

### 600 Line

Code	Dimensions	Price
WTC-S-1060-B	100 x 60 x 90 cm	
WTC-S-1260-B	120 x 60 x 90 cm	
WTC-S-1460-B	140 x 60 x 90 cm	

### 700 Line

Code	Dimensions	Price
WTC-S-1070-B	100 x 70 x 90 cm	
WTC-S-1270-B	120 x 70 x 90 cm	
WTC-S-1470-B	140 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Sink top ss 304
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing
- With backsplash

#### Optional Features

- Optional: Fully AISI 304
- Optional: Right or left drip tray
- Optional: Drawers on right or left



### Cupboard with Double Sink

#### 600 Line

Code	Dimensions	Price
WTC-2S-1460-B	140 x 60 x 90 cm	
WTC-2S-1660-B	160 x 60 x 90 cm	
WTC-2S-1860-B	180 x 60 x 90 cm	
WTC-2S-2060-B	200 x 60 x 90 cm	

#### 700 Line

Code	Dimensions	Price
WTC-2S-1470-B	140 x 70 x 90 cm	
WTC-2S-1670-B	160 x 70 x 90 cm	
WTC-2S-1870-B	180 x 70 x 90 cm	
WTC-2S-2070-B	200 x 70 x 90 cm	

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Sink top ss 304
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing
- With backsplash

#### Optional Features

- Optional: Fully AISI 304
- Optional: Right or left drip tray
- Optional: Drawers on right or left



### Dishwasher Sink Table

700 Line

Code	Dimensions	Price
WT-SDW-1270-B	120 x 70 x 90 cm	
WT-SDW-1470-B	140 x 70 x 90 cm	

700 Line

Code	Dimensions	Price
WT-2SDW-1870-B	180 x 70 x 90 cm	
WT-2SDW-2070-B	200 x 70 x 90 cm	

Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Sink top ss 304
- Stainless steel bottom shelf
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing
- With backsplash

Optional Features

- Optional: Fully AISI 304
- Optional: Right or left drip tray



### Dishwasher Sink Cupboard

700 Line

Code	Dimensions	Price
WTC-SDW-1270-B	120 x 70 x 90 cm	
WTC-SDW-1470-B	140 x 70 x 90 cm	

700 Line

Code	Dimensions	Price
WTC-2SDW-1870-B	180 x 70 x 90 cm	
WTC-2SDW-2070-B	200 x 70 x 90 cm	

Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Sink top ss 304
- Stainless steel legs adjustable in height
- Worktop with waterproof undergluing
- With backsplash

Optional Features

- Optional: Fully AISI 304
- Optional: Right or left drip tray





Storage Rack

400 Line

Code	Dimensions	Price
SU-0940	90 x 40 x 180 cm	
SU-1040	100 x 40 x 180 cm	
SU-1240	120 x 40 x 180 cm	
SU-1440	140 x 40 x 180 cm	
SU-1640	160 x 40 x 180 cm	
SU-1840	180 x 40 x 180 cm	
SU-2040	200 x 40 x 180 cm	

500 Line

Code	Dimensions	Price
SU-0950	90 x 50 x 180 cm	
SU-1050	100 x 50 x 180 cm	
SU-1250	120 x 50 x 180 cm	
SU-1450	140 x 50 x 180 cm	
SU-1650	160 x 50 x 180 cm	
SU-1850	180 x 50 x 180 cm	
SU-2050	200 x 50 x 180 cm	

Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Self Assembly
- Adjustable in height
- Legs stainless steel tube 40 x 40 mm

Optional Features

- Optional: Perforated shelf
- Optional: Fully AISI 304



## Storage Cupboard

600 Line

Code	Dimensions	Price
PC-1260	120 x 60 x 200 cm	
PC-1460	140 x 60 x 200 cm	
PC-1660	160 x 60 x 200 cm	
PC-1860	180 x 60 x 200 cm	
PC-2060	200 x 60 x 200 cm	

### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Height-adjustable intermediate shelves
- Stainless steel legs

### Optional Features

- Optional: Fully AISI 304
- Optional: Hinged one door



Wall Cupboard

400 Line

Code	Dimensions	Price
WC-1040	100 x 40 x 65 cm	
WC-1240	120 x 40 x 65 cm	
WC-1440	140 x 40 x 65 cm	
WC-1540	150 x 40 x 65 cm	
WC-1640	160 x 40 x 65 cm	
WC-1840	180 x 40 x 65 cm	
WC-2040	200 x 40 x 65 cm	

Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Height-adjustable intermediate shelves
- Sliding door

Optional Features

- Optional: Fully AISI 304
- Optional: Open front

CORNER WALL CUPBOARD



400 Line

Code	Dimensions	Price
WC-K-7070	70 x 70 x 40 x 65 cm	



## Waste Bin

400 Line

Code	Dimensions	Price
WB-C-0540	50 x 40 x 100 cm	

### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Opening with tilting container
- Adjustable in height

### Optional Features

- Optional: Fully AISI 304



## Waste Bin

470 Line

Code	Dimensions	Price
WB-4747	47 x 47 x 126 cm	

### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Hinged door
- Adjustable in height

### Optional Features

- Optional: Fully AISI 304





## Wall Shelves

### 300 Line

Code	Dimensions	Price
WSS-0630	60 x 30 x 36 cm	
WSS-0830	80 x 30 x 36 cm	
WSS-1030	100 x 30 x 36 cm	
WSS-1230	120 x 30 x 36 cm	
WSS-1430	140 x 30 x 36 cm	
WSS-1530	150 x 30 x 36 cm	
WSS-1630	160 x 30 x 36 cm	
WSS-1830	180 x 30 x 36 cm	
WSS-2030	200 x 30 x 36 cm	

### 400 Line

Code	Dimensions	Price
WSS-0640	60 x 40 x 36 cm	
WSS-0840	80 x 40 x 36 cm	
WSS-1040	100 x 40 x 36 cm	
WSS-1240	120 x 40 x 36 cm	
WSS-1440	140 x 40 x 36 cm	
WSS-1540	150 x 40 x 36 cm	
WSS-1640	160 x 40 x 36 cm	
WSS-1840	180 x 40 x 36 cm	
WSS-2040	200 x 40 x 36 cm	

- \* WSD model - Double shelves height: 70 cm
- \*\* WST model - Triple shelves height: 100 cm

#### Standard Features

- Manufactured from completely stainless steel AISI430
- Brushed and polished finish
- Self Assembly
- Adjustable in height
- Including console
- Including strip

#### Optional Features

- Optional: Perforated shelf
- Optional: Fully AISI 304



**ELECTRIC DONER GRILL**



**Electric Doner Grill**

Code	Dimensions	Radian	Motor	Max. Meat Capacity	Total Power	Price
MA-E3	547 x 663 x 910 mm	3	Bottom	30 kg	5100 W	
MA-E4	547 x 663 x 1070 mm	4	Bottom	70 kg	6800 W	
MA-E5	547 x 663 x 1230 mm	5	Bottom	80 kg	8500 W	
MA-V-E44	750 x 860 x 1240 mm	4+4	Bottom	2 x 50 kg	13600 W	
MA-V-E55	750 x 860 x 1260 mm	5+5	Bottom	2 x 60 kg	17000 W	
MU-E3	545 x 691 x 982 mm	3	Upper	30 kg	5100 W	
MU-E4	545 x 691 x 1142 mm	4	Upper	50 kg	6800 W	
MU-E5	545 x 731 x 1302 mm	5	Upper	80 kg	8500 W	

- Manufactured from stainless steel in accordance with the food regulations
- 3, 4, 5 and 6 electric radians as options
- Bottom or Upper motors
- Robax Color Thermal Glass
- The meat and the heaters position can be adjust with moving the body
- The heating elements can operate seperately
- Heating resistances operate independently in both max. and min. level
- 220V – 50Hz



Gas Doner Grill

Code	Dimensions	Radian	Motor	Max. Meat Capacity	Consumption	Price
MA-G3	565 x 664 x 912 mm	3	Bottom	40 kg	0,786 m <sup>3</sup> /h	
MA-G4	565 x 664 x 1087 mm	4	Bottom	70 kg	1,048 m <sup>3</sup> /h	
MA-G5	565 x 664 x 1262 mm	5	Bottom	100 kg	1,310 m <sup>3</sup> /h	
MA-G6	547 x 662 x 1422 mm	6	Bottom	120 kg	1,572 m <sup>3</sup> /h	
MA-T-G44	635 x 1110 x 1070 mm	4+4	Bottom	2 x 80 kg	2,096 m <sup>3</sup> /h	
MA-V-G44	730 x 770 x 1050 mm	4+4	Bottom	2 x 50 kg	2,096 m <sup>3</sup> /h	
MA-V-G55	730 x 770 x 1210 mm	5+5	Bottom	2 x 60 kg	2,620 m <sup>3</sup> /h	
MU-G3	545 x 640 x 982 mm	3	Upper	30 kg	0,786 m <sup>3</sup> /h	
MU-G4	545 x 640 x 1142 mm	4	Upper	50 kg	1,048 m <sup>3</sup> /h	
MU-G5	545 x 678 x 1304 mm	5	Upper	80 kg	1,310 m <sup>3</sup> /h	

- Manufactured from stainless steel in accordance with the food regulations
- 3, 4, 5 and 6 gas powered burners as options
- Bottom or Upper motors
- The meat and the heaters position can be adjust with moving the body
- The heating elements can operate seperately
- Heating resistances operate independently in both max. and min. level
- Equipped with AISI 310 S Cr-Ni radiant wire
- Optional: Robax Color Thermal Glass



—OUTDOOR EQUIPMENT—



**Axis BBQ Grill**

Model	Dimensions	Price
Axis	73/108 x 50/82 x 110 cm	

- Special design for outdoor conditions with fireproof paint resistant durable to 1000°C degrees
- Suitable for coal and wood use
- With 2 swivel castors
- It consists of 2 grids with 2 separate stages
- The lift system with the handle for grids to be brought closer and away from the fire
- Grate locking mechanism
- 1 foldable metal side stand
- Possibility to turn the grill without using tongs
- Can be produced in different sizes



### Hexa BBQ Grill

Model	Dimensions	Price
Hexa	75 x 75 x 81/91 cm	

- Suitable for wood use
- With 4 locked swivel castors
- Cooking area is made of 5 mm sheet metal
- Special steel grid
- Wooden tables are resistant to external environment
- It consists of 3 parts as the lower table, wooden table and grill
- 1 piece of hood
- Can be produced in 3 different sizes



**Lotus BBQ Grill**

Model	Dimensions	Price
<b>Lotus</b>	<b>70/120 x 50/76 x 85/121 cm</b>	

- Special design for outdoor conditions with fireproof paint resistant durable to 1000°C degrees
- Suitable for coal and wood use
- With 4 swivel castors (2 of them can be locked)
- Inner chamber is covered by fire bricks
- Openable meat aging rack with lid
- Lid locking mechanism
- Ventilation flap in chimney
- Foldable wooden table in the front and on the sides
- Wooden bottom shelf
- Steak house grill
- Smoking opportunity
- Grate material is made of stainless steel
  
- Can be produced in different sizes



**Fuego BBQ Grill with Hood**

Model	Dimensions	Price
Fuego 070	70 x 50 x 80 cm	
Fuego 080	80 x 50 x 80 cm	
Fuego 100	100 x 50 x 80 cm	
Fuego 120	120 x 50 x 80 cm	
Fuego 140	140 x 50 x 80 cm	

- Made of stainless steel
- Suitable for coal use
- Inner chamber is covered by fire bricks
- Can be produced in different sizes
- Different grids are optional



### Ignis Outdoor Stove

Model	Dimensions	Price
Ignis	62 x 85 x 165 cm	

- Special design for outdoor conditions with fireproof paint resistant durable to 1000°C degrees
- Suitable for wood use
- With 4 swivel castors (2 of them can be locked)
- 2 wood compartments on the right and left sides
- Chimney lid
- Ash discharge drawer
- Ventilation klape
- 2 wooden tables on the sides



Specifications are subject to change without notice.

Alsancak Mah. Ataturk Cad.

No: 336 Onart Apt. K: 1 D: 1

35220 Konak, Izmir, Turkey

Tel. +90 232 465 0101

Mobile: +90 532 610 9198    Mobile: +90 533 546 2666

[www.alpfaglobal.com](http://www.alpfaglobal.com)    [info@alpfaglobal.com](mailto:info@alpfaglobal.com)